

| Log Number | Jurisdiction | Project Name   | Agency  | Island | TMK   | Date       | Determination  |
|------------|--------------|--|---|--------|---|------------|--|
| 2016.00011 | 6E-42        | Archaeological Assessment for the Oceanic Tme Warner New CATV Conduit  |   | Oahu   | (1)2-6-002, 003, and 004  | 04/12/2016 | Final plan accepted.   |
| 2016.00018 | 6E-42        | Draft Archaeological Monitoring Pln for the Subdivision of Lot 22-A-3 of the Waiohuli Keokea Beach Lots                                  |   | Maui   | (2)3-9-011:062  | 01/28/2016 | Final plan accepted.   |
| 2016.00054 | Section 106  | Letter dated 1-11-16 fom Dept. of Veteran Affairs, National Cemetery Administration re Maui Veterans Cemetery Expansion and Improvements | Dept. of Veterans Affairs, National Cemetery Administration | Maui   | (2)2-4-002:007 portion and 009  | 04/27/2016 | SHPD concurs no adverse effect and requests continued consultation. SEE LETTER FOR CONCERNS. |
| 2016.00058 | Section 106  | Renovate bathrooms and kitchen within Facility 566   | Marine Corps Base Hawaii 1-8-2016                           | Oahu   | (1)4-4-008:001  | 01/22/2016 | No adverse effect.   |
| 2016.00090 | 6E-42        | DRAFT Archaeological Monitoring Report for the Ahuimanu Force Main Pipe Corrosion Repair Project   |   | Oahu   | (1)4-5-010:001 and 4-5-004:002 Waikalua Road ROW                          | 04/25/2016 | Final plan accepted.   |
| 2016.00104 | 6E-42        | DRAFT Archaeological Monitoring Report for the Waimanalo District Park Sewer Improvements Project January 2016                           |   | Oahu   | (1)4-1-009:264 and Hihimanu Street  | 03/11/2016 | Final plan accepted.   |
| 2016.00106 | 6E-8         | REVISED Archaeological Assessment for Farrington Highway Drainage Improvments, vicinity of Princess Kahanu Avenue                        | State of Hawaii DOT HWY-DH 2.1319                           | Oahu   | (1)8-7-007:001 por. and the Farrington Hwy ROW                            | 02/22/2016 | Final plan accepted.   |
| 2016.00110 | 6E-42        | Revisions: An AA for a 2.0 acre house site (Olinda, Maui)  |   | Maui   | (2)2-4-026:001 por.   | 01/27/2016 | Final plan accepted.   |
| 2016.00113 | Section 106  | Bridge No. 7E Replacement Project, Project No. HI STP SR50(2)  | Federal Highway Administration 12-7-15 HFPM-16              | Kauai  | (4)2-7-002:001 por., 2-7-001:004 por., and 2-7-0001 Kaumualii Highway ROW | 05/24/2016 | No adverse effect. NHPA.   |

| Log Number | Jurisdiction | Project Name   | Agency  | Island | TMK                      | Date       | Determination            |
|------------|--------------|--|---|--------|--------------------------|------------|--------------------------|
| 2016.00114 | 6E-42        | Bridge 7E Historic Resource Inventory Form Reconnaissance Level  |   | Kauai  | (4)2-7-001:999           | 05/24/2016 | No adverse effect. NHPA. |
| 2016.00120 | 6E-42        | Archaeological Monitoring Plan for the H-Power Solar Building Project Job No. 2014055  |   | Oahu   | (1)9-1-026:033, 034, 035 | 03/14/2016 | Final plan accepted.     |
| 2016.00144 | Section 106  | REVISED Archaeological Monitoring Plan for Kawaihau Elevated Boardwalk Bike and Pedestrian Path, Fed. Project No. STP-0700 (069)   |   | Kauai  | (4)4-6-014:030           | 01/29/2016 | Final plan accepted.     |
| 2016.00170 | Section 106  | Harden State Civil Defense Warehouse Building 303 EDA Award No. 07-79-06902 at Diamond Head State Monument for the interior construction of a Business Recovery Center                     | SOH Dept of Defense, Hawaii Emergency Management Agency | Oahu   | not listed               | 03/21/2016 | No adverse effect.       |
| 2016.00183 | Section 106  | Facilities Survey Report for Bldg 320 Improvements and Repairs   | USAG HI 1-22-16   | Oahu   | (1)1-1-008:005           | 02/10/2016 | No adverse effect.       |
| 2016.00193 | 6E-42        | Letter dated 1-22-16 from Carlsmith Ball LLP re: Archaeological Assessment for Kohala Coast Concrete & Precast LLP inquiry on status of revised draft report submitted September 15, 2015. |   | Hawaii | (3)6-5-002:147 & 161     | 04/21/2016 | Final plan accepted.     |
| 2016.00199 | 6E-42        | A Preservation Plan for features of Site 50-50-06-3530 in Pauwela Ahupuaa  |   | Maui   | (2)2-7-012:086 por.      | 04/19/2016 | Final plan accepted.     |
| 2016.00201 | Section 106  | Update to the Proposed Veerizon Wireless VZW HON Puowaina Communications Facility, 1441 Pali Highway   |   | Oahu   | (1)2-1-005:003           | 02/17/2016 | No adverse effect.       |

| Log Number | Jurisdiction | Project Name  | Agency                                    | Island  | TMK  | Date       | Determination   |
|------------|--------------|---|---|---------|--|------------|---|
| 2016.00213 | Section 106  | FEMA-EMW-2015-SS-00003 (21028) Homeland Security Grant Program, Fuel Management at Four Honolulu Fire Stations  | FEMA 1-25-16                              | Oahu    | not listed   | 02/17/2016 | No historic properties will be affected. No adverse effect.   |
| 2016.00231 | 6E-42        | Draft Archaeological Inventory Survey for TMK (3)7-2-004:027 Maniniowali Ahupuaa  |   | Hawaii  | (3)7-2-004:027   | 05/13/2016 | Final plan accepted.  |
| 2016.00234 | Section 106  | Proposed Artillery Firing Points Project, South Range Acquisition Area, Schofield Barracks  | US Army Garrison Hawaii 28 Jan 16         | Oahu    | (1)9-2-05:002  | 02/26/2016 | SHPD concurs with no historic properties affected.            |
| 2016.00244 | Section 106  | Archival copy of the Historic American Buildings Survey for HABS HI-569 for Outrigger Waikiki Surf (Courtyard Marriott Waikiki Beach), HON Ohana  | National Park Service H38 (PW-CR) 1-27-16 | Oahu    | (1)2-6-020:018   | 02/22/2016 | No adverse effect.  |
| 2016.00246 | 6E-42        | Archaeological Inventory Survey for On-and Off-Site Improvements associated with the proposed Piilani Promenade Project, and Updated Recommendations for Sites Identified in a 1994 Archaeological Inventory Survey |   | Maui    | (2)3-9-001:016, 169-174 and 2-2-002:016, 077 and 082, 3-9-001:148, 3-9-048:122 | 02/09/2016 | Final plan accepted previously. Sending copy back to Library. |
| 2016.00251 | 6E-42        | Final AMP for renovation and new construction at a parcel in Olowalu Makai Komohana Subdivision (Golestani Residence)   |   | Maui    | (2)4-8-003:121   | 04/14/2016 | Final plan accepted.  |
| 2016.00252 | 6E-42        | Archaeological Monitoring Plan for Makena Farm Lots Subdivision   |   | Maui    | (2)2-1-007:067   | 02/03/2016 | Final plan accepted.  |
| 2016.00259 | 6E-42        | Draft Archaeological Monitoring plan for construction of a single family residence  |   | Molokai | (2)5-4-007:009 por.  | 04/18/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | Project Name   | Agency  | Island | TMK  | Date       | Determination   |
|------------|--------------|--|---|--------|--|------------|---|
| 2016.00266 | 6E-42        | Draft Archaeological Monitoring report for the Palani Avenue Drainage Improvements Project       |   | Oahu   | (1)2-7-034: Date Street ROW  | 03/31/2016 | Final plan accepted.  |
| 2016.00267 | 6E-42        | Draft Archaeological Monitoring Report for the Allure Waikiki Development Project                |   | Oahu   | (1)2-6-013:001, 003, 004, 007-009, 011, and 012  | 03/31/2016 | Final plan accepted.  |
| 2016.00269 | 6E-42        | Draft Archaeological Monitoring Report for the BWS Water Main Replacement Project at Ward Avenue |   | Oahu   | (1)2-1-040:001; 2-1-041:024, 026, 028; 2-1-042:018, 024; 2-1-044:001, 003, 005, 032, 033; 2-1-049:080; 2-3-003:001; 2-3-008:001, 002; 2-4-001:001; 2-4-014:021 and 024 | 03/29/2016 | Final plan accepted with revisions requested.               |
| 2016.00274 | Section 106  | Repair water main along B Street at MCBH   | Marine Corps Base Hawaii 2-4-16                     | Oahu   | (1)4-4-008:001   | 02/08/2016 | SHPD concurs with no historic properties affected.          |
| 2016.00275 | Section 106  | More information for Improvements and Repairs at Building 320 at Fort Shafter                    | US Army Garrison Hawaii                             | Oahu   | (1)1-1-008:005   | 03/04/2016 | No adverse effect.  |
| 2016.00297 | Section 106  | Literature Review and Field Inspection: Proposed Lahaina Front Street Small Cell Network,        |   | Maui   | (2)4-5-001:999. 4-5-002:999, 4-6-008:086, 4-6-001:999 and 4-6-009:999 pors.  | 04/18/2016 | No historic properties will be affected. No adverse effect. |
| 2016.00330 | Section 106  | Renovation and repair at Building 520 at Fort Shafter  | Department of the Army, Directorate of Public Works | Oahu   | (1)1-1-008:005   | 03/09/2016 | SHPD concurs no adverse effect.                             |

| Log Number | Jurisdiction | Project Name   | Agency                              | Island | TMK                          | Date       | Determination   |
|------------|--------------|--|-------------------------------------|--------|------------------------------|------------|---|
| 2016.00331 | Section 106  | HON Point Panic, Verizon Wireless proposes to install antennas at an elevation of 59 feet (85 foot overall structure height) just below the roofline on the exterior facade of the Hawaiian Childrens Discovery Center and install equipment and a generator on the adjacent ground space. 111 Ohe Street, Honolulu. |                                     | Oahu   | (1)2-1-060:017               | 03/10/2016 | No historic properties will be affected. No adverse effect with conditions. |
| 2016.00341 | 6E-42        | DRAFT Archaeological Monitoring Plan for the Makaha West Irrigation Wells System   |                                     | Oahu   | (1)8-4-002:055 por.          | 03/14/2016 | Final plan accepted.  |
| 2016.00344 | Section 106  | Installation of two emergency water fill points at Bulding 1580 at Schofield Barracks.   | US Army Garrison Hawaii Feb 8, 2016 | Oahu   | (1)7-6-001:008               | 03/10/2016 | No adverse effect.  |
| 2016.00350 | Section 106  | USDA Housing Preservation Grant for Candido Ramos and Magdalena Ramos for health & safety dwelling deficiencies  | USDA                                | Hawaii | (3)1-6-149:011               | 02/24/2016 | No historic properties will be affected. No adverse effect.                 |
| 2016.00351 | 6E-8         | Draft Archaeological Monitoring Plan for the installation of a new street light on S. Kihei Road at Kanani Road  | County of Maui                      | Maui   | (2)3-9-017:999               | 03/22/2016 | Final plan accepted.  |
| 2016.00358 | 6E-42        | Resubmittal Archaeological Inventory Survey for the 803 Waimanu Street Project   |                                     | Oahu   | (1)2-1-049:050, 070, and 072 | 03/30/2016 | Final plan accepted.  |
| 2016.00367 | 6E-42        | REVISED DRAFT Archaeological Monitoring Report in support of the Kailua District Park Ball Field Lighting System Replacement Project   |                                     | Oahu   | (1)4-3-056:009               | 03/15/2016 | Final plan accepted.  |

| Log Number | Jurisdiction         | Project Name  | Agency  | Island | TMK  | Date       | Determination                   |
|------------|----------------------|---|---|--------|--|------------|---------------------------------|
| 2016.00376 | 6E-42                | Archaeological Monitoring Report for the Moikeha Cave Landscaping Project Site 50-10-37-24264                     |   | Hawaii | (3)7-8-010:044                                     | 03/14/2016 | Final plan accepted.            |
| 2016.00380 | 6E-8                 | DRAFT AMP for the construction of a new residence FIORI at Sandhills Estate Subdivision                           |   | Maui   | (2)3-8-089:102                                     | 03/22/2016 | Final plan accepted.            |
| 2016.00385 | 6E-42                | Draft Addendum Archaeological Inventory Survey Plan for the Block G Project, Kakaako                              |   | Oahu   | (1)2-1-052 and 2-1-053 various plats and parcels   | 05/26/2016 | Final plan accepted.            |
| 2016.00393 | 6E-42                | Draft Revised AMP for Hana Hotel Wastewater Improvements at Hamoa Mokae Beach Park                                |   | Maui   | (2)1-4-010:000 por.                                | 03/23/2016 | Final plan accepted.            |
| 2016.00395 | Section 106          | Construct boardwalk and install shower erosion controls along North Beach MCBH                                    | Marine Corps Base Hawaii Feb 18, 2016 LE/016-16 | Oahu   | (1)4-4-008:001                                     | 02/26/2016 | Concur. No adverse effect.      |
| 2016.00401 | 6E-42                | DRAFT Addendum Archaeological Monitoring Plan for the Ward Village Shops Project, Sewer Line Lateral Installation |   | Oahu   | (1)2-3-005:013 por.                                | 03/31/2016 | Final plan accepted.            |
| 2016.00410 | Section 106          | Letter of concurrence Verizon Wireless H13 Olaa Reserve Ensite #25743   |   | Hawaii | not listed   | 02/24/2016 | No adverse effect.              |
| 2016.00418 | 6E-8 and Section 106 | Draft Archaeological Monitoring Plan for the Ka Makana Alii Shopping Center OR&L Crossing Project                 |   | Oahu   | (1)9-1-016:027, 031, 142, and Roosevelt Avenue ROW | 05/13/2016 | Final plan accepted.            |
| 2016.00450 | Section 106          | Consultation for drop zones in the Keamuku Maneuver Area, Pohakuloa Training Area                                 | US Army Garrison Hawaii Feb 20, 2016            | Hawaii | (3)7-8-001:041 por., 042 por., 045 por.            | 03/03/2016 | SHPD concurs no adverse effect. |

| Log Number | Jurisdiction         | Project Name   | Agency   | Island | TMK   | Date       | Determination                   |
|------------|----------------------|--|--|--------|---|------------|---------------------------------|
| 2016.00467 | 6E-42                | Letter from Carlsmith Ball LLP dated 2-25-16 re: Archaeological Assessment for Kohala Coast Concrete & Precast LLC                                   |  | Hawaii | (3)6-5-002:147 & 161  | 04/21/2016 | Final plan accepted.            |
| 2016.00473 | 6E-42                | Archaeological Inventory Survey for the Kauai Community College Rezone Campu Project   | Kauai Community College attn: Dr. Helen Cox          | Kauai  | (4)3-4-007:001, 002, and 006                                | 04/15/2016 | Final plan accepted.            |
| 2016.00478 | 6E-8 and Section 106 | Request for review of Archaeological Inventory Survey Plan AISP amendment Paia Relief Route Project STP-036-1(11) Alternative 3B                     | State of Hawaii Dept of Transportation HWY-PA 2.1718 | Maui   | (2)2-5-005:018 por., 010 por., and 2-5-006:016 and 017 por. | 03/22/2016 | Final plan accepted.            |
| 2016.00486 | Section 106          | Kalaeloa Energy Corridor   | Federal Highway Administration HDA-HI 3-1-16         | Oahu   | (1)9-1-013: 0332, 045, 088, 098, 101 and 9-1-016:006, 027   | 03/29/2016 | SHPD concurs no adverse effect. |
| 2016.00515 | Section 106          | Specifications for ABMC Courts of Missing Stone Replacement PHASE 1 National Memorial Cemetery of the Pacific  | US Army Corps of Engineers                           | Oahu   | (1)2-2-005:002  | 03/18/2016 | No adverse effect.              |
| 2016.00519 | 6E-42                | Archaeological Inventory Survey Report on 132 Acres in Alae Ahupuaa, South Kona  |  | Hawaii | (3)8-7-005:001, 002, 010-019                                | 06/15/2016 | Final plan accepted.            |
| 2016.00529 | 6E-42                | DRAFT Archaeological Monitoring Plan for the Special Use Permit for the Napili Point 1 AOA O SMX 2015-0465 and Napili Point II SMX 2015-0472 Project |  | Maui   | (2)4-3-002:021 por. and 4-3-002:043 por.                    | 04/18/2016 | Final plan accepted.            |
| 2016.00532 | Section 106          | Operational Range Clearance of Former Aerial Target at Marine Corps Training Area Bellows  | Marine Corps Base Hawaii 3-1-16                      | Oahu   | (1)4-1-015:001  | 03/29/2016 | SHPD concurs no adverse effect. |
| 2016.00533 | Section 106          | Natural Resources Analysis of Wetlands at MCBH   | Marine Corps Base Hawaii 3-1-16 LE/019-16            | Oahu   | (1)4-4-008:001  | 03/29/2016 | SHPD concurs no adverse effect. |

| Log Number | Jurisdiction | Project Name  | Agency                                     | Island | TMK                                      | Date       | Determination  |
|------------|--------------|---|--|--------|--|------------|--|
| 2016.00557 | Section 106  | Install window security measure for Building 4 First Deck Windows at Camp Smith   | Marine Corps Base Hawaii 3-7-16            | Oahu   | (1)9-9-010:007                           | 03/21/2016 | No adverse effect.   |
| 2016.00559 | 6E-42        | DRAFT Archaeological Inventory Survey for 413 Seaside Avenue, Waikiki   |  | Oahu   | (1)2-6-021:056, 057, 062, 065            | 04/11/2016 | Final plan accepted.   |
| 2016.00565 | 6E-42        | DRAFT Archaeological Monitoring Report for the Keel Water Line Improvements Project   |  | Hawaii | (3)8-3-004:001 por. and 8-3-005:001 por. | 04/30/2016 | Final plan accepted.   |
| 2016.00573 | 6E-42        | Revised Archaeological Monitoring Plan for proposed Sudz Car Wash   |  | Kauai  | (4)4-5-004:003                           | 03/14/2016 | Final plan accepted with the requested sections.   |
| 2016.00583 | 6E-42        | Sale of Remnant (Cancellation of reserved easement) in Palolo Valley, TMK (1)3-4-006:002 portion  | DLNR Land Division 3-7-16 Ref.No. 150D-207 | Oahu   | (1)3-4-006:002 portion                   | 04/27/2016 | SHPD's revised determination is no historic properties affected.                         |
| 2016.00607 | 6E-42        | REVISED draft archaeological monitoring plan for the H-Power Solar Building Project Job No. 2014055   |  | Oahu   | (1)9-1-026:033, 034, 035                 | 03/14/2016 | Final plan accepted. SHPD requests to be notified at start of archaeological monitoring. |
| 2016.00619 | Section 106  | Requesting consultation for the proposed Hale Mahaolu Ewalu Project   |  | Maui   | (2)2-3-066:019 and 020                   | 03/18/2016 | Concurs with the APE and no adverse effect.  |
| 2016.00623 | Section 106  | HIARNG reply to SHPD dated 3-11-16 re Construction of a new Combined Support Maintenance Shop CSMS at the Hawaii Army National Guard, Keaukaha Military Reservation, Hilo, Hawaii | Hawaii Army National Guard March 11, 2016  | Hawaii | (3)2-1-013:010 and 2-1-012:003           | 05/06/2016 | No adverse effect.   |
| 2016.00628 | 6E-42        | Revised Draft Archaeological Monitoring Plan for the Solar Electric Installation at Ewa Beach Golf Club SCS Project 1843-AMP-2  |  | Oahu   | (1)9-1-001:006 por. and 030 por.         | 03/16/2016 | Final plan accepted. SHPD requests to be notified at start of archaeological monitoring. |

| Log Number | Jurisdiction          | Project Name  | Agency                                       | Island  | TMK                          | Date       | Determination                                  |
|------------|-----------------------|---|--|---------|------------------------------|------------|--|
| 2016.00641 | 6E-42                 | DRAFT Archaeological Monitoring Plan for the Reconstruction of the Hale Pili Project, Hawaiian Mission Houses Historic Site and Archives, 553 South King Street, Honolulu |  | Oahu    | (1)2-1-032:002 por.          | 04/30/2016 | Final plan accepted.                           |
| 2016.00655 | 6E-42                 | Archaeological Monitoring Plan for a 17,390 Square Foot portion of land in Paeahu Ahupuaa, Makawao, Maui (Felder Residence)   |  | Maui    | (2)2-1-010:012               | 04/19/2016 | Final plan accepted.                           |
| 2016.00659 | 6E-42                 | Draft Archaeological Monitoring Plan Pahoa Elementary School Electrical Upgrade Project, DOE Job No. Q18001-13  |  | Hawaii  | (3)1-5-114:025 and 026       | 03/18/2016 | Final plan accepted.                           |
| 2016.00667 | Section 106           | More information provided for Construction of a new Combined Support Maintenance Shop CSMS at the Hawaii Army National Guard, Keaukaha Military Reservation, Hilo, Hawaii | Hawaii Army National Guard<br>March 11, 2016 | Hawaii  | (3)2-1-013:010 & 2-1-012:003 | 05/06/2016 | No adverse effect.                             |
| 2016.00670 | 6E-42 and Section 106 | Verizon Rocky Hill project more info, HON Rocky Hill  |  | Oahu    | (1)2-8-022:002               | 03/17/2016 | No adverse effect with conditions. See letter. |
| 2016.00693 | 6E-42                 | Archaeological Monitoring Plan for a residential parcel at 50 Alahahele Place in Coastal Kihei, Kamaole Ahupuaa (Desmond Residence)                                       | County of Maui                               | Maui    | (2)3-9-003:048               | 04/19/2016 | Final plan accepted.                           |
| 2016.00696 | Section 106           | Repair of the failing surface of the lighthouse, Molokai Light Station  | National Parks Service email 3-21-16         | Molokai | not listed                   | 03/31/2016 | SHPD concurs no adverse effect.                |

| Log Number | Jurisdiction   | Project Name  | Agency   | Island | TMK   | Date       | Determination   |
|------------|----------------|---|--|--------|---|------------|---|
| 2016.00699 | 6E-42          | Cultural Resources Review and Field Inspection for the Proposed Verizon Wireless Palama Settlement Telecommunications Facility  |  | Oahu   | (1)1-7-045:001 por.   | 03/23/2016 | No adverse effect with conditions. No historic properties affected with conditions. See letter. |
| 2016.00709 | Section 106    | Repair four inert storehouses Facilities 708, 709, 711, and 712 MCBH  | Marine Corps Base Hawaii 3-22-16                   | Oahu   | (1)4-4-009:003  | 04/12/2016 | No adverse effect.  |
| 2016.00726 | Section 106    | New letter for HONO Wilson Tunnel 2 Ensite 23476 HONO Palolo  |  | Oahu   | not listed  | 03/28/2016 | No adverse effect.  |
| 2016.00727 | Section 106    | HABS Melim Building for proposed Verizon Wireless HONO Downtown Communication Facility  |  | Oahu   | (1)2-1-026:014  | 04/22/2016 | No historic properties will be affected. No adverse effect.                                     |
| 2016.00734 | Section 106    | Replace existing split AC units Bldg 201 MCB Hawaii   | Marine Corps Base Hawaii 3-28-16 LE/030-16         | Oahu   | (1)4-4-009:003  | 04/26/2016 | No adverse effect.  |
| 2016.00735 | Section 106    | Replace existing split AC units Bldg 217 MCB Hawaii   | Marine Corps Base Hawaii LE/027-16 Mar28, 2016     | Oahu   | (1)4-4-009:003  | 04/26/2016 | No adverse effect.  |
| 2016.00736 | Section 106    | Replace Building 212 Roof MCB Hawaii  | Marine Corps Base Hawaii LE/006-16 March 28, 2016  | Oahu   | (1)4-4-009:003  | 04/27/2016 | No adverse effect.  |
| 2016.00743 | Section 106    | Review and Concurrence for proposed undertakings to replace exterior door at Building 11 and install electrical subpanel and receptacle at Building 39006, Kaena Point Satellite Tracking Station | Department of the Air Force, 50th Space Wing AFSPC | Oahu   | (1)6-9-003:005  | 04/25/2016 | No adverse effect.  |
| 2016.00748 | 6E-8 and 6E-42 | Archaeological Literature Review for the Proposed Kaanapali Beach Restoration Project   | DLNR OCCL  | Maui   | (2)4-4-008:001, 002, 003, 004, 005, 019, 022; 4-4-013:001, 002, 006, 007, 008 | 03/31/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | Project Name   | Agency                                     | Island | TMK                          | Date       | Determination   |
|------------|--------------|--|--|--------|------------------------------|------------|---|
| 2016.00752 | 6E-42        | REVISED DRAFT Preservation Plan for Site 50-80-12-1725 in Kalaeloa, Honouliuli, Ewa, Oahu  |  | Oahu   | (1)9-1-013:001               | 04/11/2016 | Final plan accepted.  |
| 2016.00763 | Section 106  | Install GPS Antenna on Building 5 aboard Camp Smith  | Marine Corps Base Hawaii 3-28-16 LE/039-16 | Oahu   | (1)9-9-010:007               | 04/22/2016 | No adverse effect.  |
| 2016.00764 | Section 106  | Replace existing split AC unit Facility 504 aboard MCBH  | Marine Corps Base Hawaii 3-28-16 LE/028-16 | Oahu   | (1)4-4-009:003               | 04/26/2016 | No adverse effect.  |
| 2016.00768 | Section 106  | Renovation of Bldg. 621 at the Hawaii Army National Guard HIARNG Keaukaha Military Reservation, Hilo   | Hawaii Army National Guard March 28, 2016  | Hawaii | (3)2-1-013:010 & 2-1-012:003 | 04/21/2016 | No adverse effect.  |
| 2016.00772 | Section 106  | Installation of Solar Panels at Quads C, E, and F at Schofield Barracks  | US Army Garrison Hawaii Mar 29, 2016       | Oahu   | (1)7-007:001                 | 04/26/2016 | No adverse effect.  |
| 2016.00783 | 6E-42        | Archaeological Inventory Survey of TMK (3)7-5-004:024 for Katie Karras   |  | Hawaii | (3)7-5-004:024               | 05/05/2016 | Final plan accepted.  |
| 2016.00789 | Section 106  | Replacement of an existing wash rack at the Hawaii Army National Guard HIARNG Hanapepe Armory  | Hawaii Army National Guard March 28, 2016  | Kauai  | (4)1-8-008:007 & 078         | 03/29/2016 | SHPD concurs no adverse effect.   |
| 2016.00802 | Section 106  | Reroof Buildings 25 and 76 at Kilauea Military Camp KMC  | US Army Garrison Hawaii 4-1-16             | Hawaii | not listed                   | 04/26/2016 | No adverse effect.  |
| 2016.00804 | 6E-42        | Art in Public Places Project: Patsy Mink statue outside of the Hawaii State Library.   |  | Oahu   | (1)2-1-025:001               | 05/27/2016 | No adverse effect on the historic integrity of the District or the Hawaii State Library and its site. |
| 2016.00816 | 6E-42        | Archaeological Monitoring Plan for the proposed Fire System DCDA Water Line Project at the Kahana Manor, 4310 Lower Honoapiilani Road, Lahaina |  | Maui   | (2)4-3-010:011 por.          | 04/06/2016 | Final plan accepted.  |
| 2016.00835 | 6E-42        | FINAL AMP for improvements along Kamehameha Avenue in Kahului Town   |  | Maui   | (2)3-8-007:999 pors.         | 04/19/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | Project Name   | Agency  | Island | TMK   | Date       | Determination   |
|------------|--------------|--|---|--------|---|------------|---|
| 2016.00840 | Section 106  | Repainting of Various Buildings at Kilauea Military Camp KMC   | US Army Garrison Hawaii 4-8-16                | Hawaii | (3)9-9-001:001  | 04/26/2016 | No adverse effect.  |
| 2016.00851 | Section 106  | Compliance regarding Main Supply Route Improvements in the Keamuku Maneuver Area, Pohakuloa Training Area  | US Army Garrison Hawaii Pohakuloa 4-4-16      | Hawaii | (3)6-7-001:003, 045, 042 por.                         | 05/13/2016 | No adverse effect. More information requested and continued consultation. |
| 2016.00857 | 6E-42        | Archaeological Monitoring Plan for Planned Improvements to a portion of a 10,510 square foot parcel of land in Waiehu, Maui (Habitat for Humanity) |   | Maui   | (2)3-3-001:019 por.                                   | 04/19/2016 | Final plan accepted.  |
| 2016.00858 | 6E-42        | Archaeological Monitoring Plan for a construction project on a 10,854 square foot parcel, Wailuku, Maui (Crockford Residence)                      |   | Maui   | (2)3-4-001:009  | 04/19/2016 | Final plan accepted.  |
| 2016.00861 | Section 106  | Effect Determination for Rectangular Rapid Flashing Beacon Crosswalk and Sidewalk Improvements Fed.Project No. SRS-1500(086) Work Order No. 105    | Federal Highway Administration HDA-HI 4-11-16 | Kauai  | (4)4-3-003:999, 2-3-014:999, 1-3-003:999, 1-3-008:999 | 04/15/2016 | SHPD concurs no adverse effect.   |
| 2016.00863 | 6E-42        | OR & L Annex reroof and spall repair   |   | Oahu   | (1)1-5-007:001  | 04/25/2016 | No adverse effect.  |
| 2016.00865 | 6E-42        | Archaeological Monitoring Report for the Maui Countrywide Wastewater Pump Station Renovations Phase II Project Kihei 10 Wastewater Pump Station    |   | Maui   | (2)2-1-008:059 por.                                   | 04/19/2016 | Final plan accepted.  |
| 2016.00866 | Section 106  | Installation of new mooring points; Wheeler Army Airfield, National Historic Landmark  | US Army Garrison Hawaii 4-8-16                | Oahu   | (1)7-7-001:001  | 04/30/2016 | No adverse effect.  |

| Log Number | Jurisdiction          | Project Name   | Agency                          | Island | TMK                                       | Date       | Determination   |
|------------|-----------------------|--|---------------------------------|--------|---|------------|---|
| 2016.00867 | 6E-42                 | Kekuanaoa Building re-roofing project and other repairs. 465 South King Street   |                                 | Oahu   | (1)2-1-025:003                            | 04/19/2016 | No adverse effect.  |
| 2016.00868 | 6E-42                 | Kamehameha V Post Office repair rood, remove skylight, & replace AC on roof. DAGS Project No. 62-10-0804, 44 Merchant Street, Honolulu   |                                 | Oahu   | (1)2-1-002:012                            | 04/25/2016 | No adverse effect.  |
| 2016.00874 | 6E-8                  | Construction of Golf Cart Crossing at Easement G-2 at the Joint Alignment of Old Government Road SIHP 10290 and Ala Loa Trail SIHP 21664 |                                 | Hawaii | (3)8-1-033:021                            | 05/17/2016 | Final plan accepted.  |
| 2016.00914 | 6E-42                 | Archaeological Monitoring Plan for Water Meter Installation at Unit 2, Sprecklesville Beach Condominium SCS 1855-2 AMP                   |                                 | Maui   | (2)3-8-001:072 por.                       | 04/18/2016 | Final plan accepted.  |
| 2016.00938 | 6E-42                 | Letter from Carlsmith Ball LLP dated 4-14-16 re: Archaeological Assessment for Kohala Coast Concrete & Precast LLC                       |                                 | Hawaii | (3)6-5-002:147 & 161                      | 04/21/2016 | Final plan accepted.  |
| 2016.00943 | Section 106           | HONO Palolo Ensite 24448   |                                 | Oahu   | not listed                                | 04/21/2016 | No historic properties will be affected. No adverse effect. |
| 2016.00965 | 6E-42 and Section 106 | Final HABS III Documentation of HON Hilton Hawaiian Village, 2005 Kalia Road, Waikiki, Oahu  |                                 | Oahu   | (1)2-6-009:009, 012, 043, and 2-6-008:034 | 07/08/2016 | No historic properties will be affected. No adverse effect. |
| 2016.00969 | Section 106           | Preventative Maintenance on Interior of Building 36 at Kilauea Military Camp KMC   | US Army Garrison Hawaii 4-15-16 | Hawaii | (3)9-9-001:001                            | 05/13/2016 | No adverse effect.  |

| Log Number | Jurisdiction | Project Name  | Agency                                      | Island | TMK            | Date       | Determination                                      |
|------------|--------------|---|---|--------|----------------|------------|--|
| 2016.00987 | 6E-42        | REVISED Archaeological Monitoring Plan for the proposed construction of a second dwelling, accessory dwelling, and a driveway on the parcel located in Ku'au at 45 Lana Street, Hamakuapoko, Maui |   | Maui   |                | 04/27/2016 | Final plan accepted.                               |
| 2016.00988 | 6E-42        | REVISED Archaeological Monitoring Plan for the proposed construction of a swimming pool and spa on a parcel located in Sandhills Estates Subdivision at 11 Keonelo Street, Wailuku                |   | Maui   | (2)3-8-089:046 | 04/27/2016 | Final plan accepted.                               |
| 2016.00997 | Section 106  | Rehabilitation of Second Floor, Building 525 at Fort Shafter  | US Army Garrison Hawaii 4-22-16             | Oahu   | (1)1-1-008:005 | 05/24/2016 | No adverse effect.                                 |
| 2016.01004 | Section 106  | Coat Fuel Pier I-beams with corrosion protection at MCBH  | Marine Corps Base Hawaii LE/053-16 4-20-16  | Oahu   | (1)4-4-009:003 | 05/09/2016 | No adverse effect.                                 |
| 2016.01005 | Section 106  | Proposed photovoltaic solar panels on non-historic residences carports, Hickam Field.   | Navy Region Hawaii 4-19-16 Ser N4/0510 5750 | Oahu   | not listed     | 05/19/2016 | No adverse effect.                                 |
| 2016.01030 | 6E-42        | Archaeological Data Recovery Plan for Site 50-40-90-1983 at the Kahaleplalaoa Renovation Project  |   | Lanai  | (2)4-9-003:010 | 07/06/2016 | Final plan accepted.                               |
| 2016.01055 | Section 106  | Building 601H, Hickam Water Tower, Hickam Field Historic District   | Navy Region Hawaii 4-27-16 Ser N4/0518      | Oahu   | (1)9-9-001:013 | 05/19/2016 | SHPD concurs no adverse effect.                    |
| 2016.01056 | Section 106  | Install concrete pedestal and plaque memorial commemorating MV-22 Mishap at Marine Corps training area Bellows  | Marine Corps Base Hawaii 4-29-16            | Oahu   | (1)4-1-015:001 | 06/02/2016 | SHPD concurs with no historic properties affected. |

| Log Number | Jurisdiction          | Project Name  | Agency  | Island | TMK  | Date       | Determination   |
|------------|-----------------------|---|---|--------|--|------------|---|
| 2016.01096 | 6E-42                 | DRAFT Archaeological Monitoring Plan for 413 Seaside Avenue, Waikiki, Oahu  |   | Oahu   | (1)2-6-021:056, 057, 062, 065                          | 07/05/2016 | Final plan accepted.  |
| 2016.01134 | Section 106 and 6E-10 | HART renovations designed at the Nuuanu Shops within the Historic Chinatown District, 158 - 162 North King Street                             | Honolulu Authority for Rapid Transportation   | Oahu   | (1)1-7-003:066   | 06/06/2016 | No historic properties will be affected. No adverse effect.                                     |
| 2016.01135 | Section 106           | Resubmittal of drawings for the Sumida Building, revisions. 1138 Maunakea Street  |   | Oahu   | (1)1-7-003:048   | 06/06/2016 | No adverse effect with conditions. No historic properties affected with conditions. See letter. |
| 2016.01151 | Section 106           | Hamakua Drive Bikeway Improvements Fed.Project No. STP-6010(001)  | Federal Highway Administration HDA-HI 5-13-16 | Oahu   | (1)4-2-001, 003, 038, 077 and 082                      | 07/08/2016 | Final plan accepted.  |
| 2016.01162 | Section 106           | Compliance for the proposed Mohiakea Maneuver Corridor Project CRS-16-092 at Schofield Barracks, West Range                                   | US Army Garrison Hawaii 5-11-16               | Oahu   | (1)7-7-001:001   | 06/24/2016 | No adverse effect. See letter for other concerns.   |
| 2016.01164 | Section 106           | Paia School Frontage and Sidewalk Improvements, Safe Routes to School Projects, Fed.Project No. SRS-1500(086) Work Order No. 108 & 109        | Federal Highway Administration HDA-HI 5-12-16 | Maui   | (2)2-5-012:111 por. and portions of County of Maui ROW | 07/08/2016 | No adverse effect with conditions. See letter.  |
| 2016.01231 | 6E-43                 | Burial Site Component of a Preservation Plan for Site 50-50-02-7168 Kahekili Highway Repair Project, County Job No. 09-48, Kahakuloa, Wailuku |   | Maui   | (2)3-1-002:016 por.                                    | 06/07/2016 | Final plan accepted.  |
| 2016.01232 | 6E-43                 | DRAFT Burial Site Component of a Preservation Plan for SIHP #50-80-14-7714, HECO P20 Project at 380 Kapahulu Avenue, Waikiki                  |   | Oahu   | (1)2-6-021:056, 057, 062, 065                          | 06/07/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | Project Name   | Agency   | Island | TMK                               | Date       | Determination   |
|------------|--------------|--|--|--------|-----------------------------------|------------|---|
| 2016.01246 | Section 106  | Installation of fighting position and impact area at Range 11 Ulupau Range Training Facility MCBH, Kaneohe                               | Marine Corps Base Hawaii May 1, 2016 LE/061-16 | Oahu   | (1)4-4-008:001                    | 06/29/2016 | SHPO concurs with the APE and no historic properties affected for the proposed undertaking.   |
| 2016.01252 | 6E-42        | Resubmittal of Final report: Archaeological Inventory Survey Report on 123 acres in Alae ahupuaa, South Kona                             |  | Hawaii | (3)8-7-005:001, 002, 010-019      | 05/25/2016 | Final plan accepted.  |
| 2016.01253 | Section 106  | consultation for USDA Farm Service Agency FSA CREP Application for Rincon Del Cielo LLC  | USDA Rural Development May 17, 2016            | Hawaii | (3)4-2-009:014                    | 06/01/2016 | SHPD concurs with the FSA's determination of no historic properties affected if the proposed undertaking activities are confined to the previously disturbed areas. |
| 2016.01283 | 6E-42        | Draft Archaeological Inventory Survey Report for the Kukuiula Community Development Parcel A Project                                     |  | Kauai  | (4)2-6-015:014                    | 06/16/2016 | Final plan accepted.  |
| 2016.01293 | 6E-42        | Archaeological Inventory Survey for the Kahaluu Ma Kai Project Volume I  |  | Hawaii | (3)7-8-013:002, 013, 042, and 043 | 05/31/2016 | Final plan accepted.  |
| 2016.01320 | 6E-42        | Archaeological Inventory Survey for the Proposed Kona Faith Center - Resubmittal   |  | Hawaii | (3)8-1-008:020 por. and 021       | 06/07/2016 | Final plan accepted.  |
| 2016.01342 | 6E-42        | DRAFT Archaeological Monitoring Plan for the Kakaako Pumping Station SIHP #50-80-14-9710 Project, 653 Ala Moana Boulevard, Kakaako Makai | Hawaii Community Development Authority         | Oahu   | (1)2-1-015:063                    | 06/01/2016 | Final plan accepted.  |
| 2016.01365 | 6E-8         | Archaeological Inventory Survey for the Proposed Aina Haina 170" Potable reservoir No. 2   |  | Oahu   | (1)3-6-016:040, 3-6-019:012 por.  | 06/03/2016 | Final plan accepted.  |

| Log Number | Jurisdiction | Project Name   | Agency | Island | TMK   | Date       | Determination                                 |
|------------|--------------|--|--------|--------|---|------------|---|
| 2016.01386 | 6E-42        | Archaeological Monitoring Plan in support of rehabilitation of localized streets Phase 13B, Kaneohe and Kailua A   |        | Oahu   | (1)4-2-101:059, 4-2-102:001 to 083, 085, 088; 4-5-029:051 and 059 | 06/15/2016 | Final plan accepted.                          |
| 2016.01428 | 6E-42        | Qualified Preservation Professional's Review and Comment on Proposed Screening of Existing Lanai at 37 Makalapa, Makalapa Historic Neighborhood at Pearl Harbor Hawaii |        | Oahu   | (1)9-9-002:004  | 06/22/2016 | No adverse effect.                            |
| 2016.01442 | 6E-42        | REVISED Archaeological Monitoring Report of Vegetation Clearing at TMK(3)7-5-010:61 Puaa 1st Ahupuaa, Kailua Kona, Hawaii  |        | Hawaii | (3)7-5-010:061  | 06/15/2016 | Final plan accepted.                          |
| 2016.01469 | 6E-42        | Draft Archaeological Inventory Survey Report for the Kapaia Solar Photovoltaic and Battery Energy Storage Project  |        | Kauai  | (4)3-8-002:002 por.   | 06/24/2016 | Final plan accepted with revisions requested. |
| 2016.01495 | 6E-42        | Revised Archaeological Inventory Survey Report of a 50 acre Parcel of Land   |        | Maui   | (2)3-5-002:001  | 07/01/2016 | Final plan accepted.                          |
| 2016.01550 | 6E-42        | Revised Draft Archaeological Monitoring Plan in support of upgrades to exterior lighting in four parking lots at the University of Hawaii Manoa                        |        | Oahu   | (1)2-8-023:003 and 2-9-004:005                                    | 06/29/2016 | Final plan accepted.                          |
| 2016.01589 | 6E-42        | Draft Archaeological Assessment for the Proposed Beachfront Improvements at the Kahala Hotel & Resort  |        | Oahu   | (1)3-5-023:001 por. 039 por. 041                                  | 07/05/2016 | Final plan accepted.                          |