

Log Number	Jurisdiction	Project Name	Agency	Island	TMK	Date	Determination
2016.00011	6E-42	Archaeological Assessment for the Oceanic Tme Warner New CATV Conduit		Oahu	(1)2-6-002, 003, and 004	04/12/2016	Final plan accepted.
2016.00018	6E-42	Draft Archaeological Monitoring Pln for the Subdivision of Lot 22-A-3 of the Waiohuli Keokea Beach Lots		Maui	(2)3-9-011:062	01/28/2016	Final plan accepted.
2016.00054	Section 106	Letter dated 1-11-16 fom Dept. of Veteran Affairs, National Cemetary Administration re Maui Veterans Cemetery Expansion and Improvements	Dept. of Veterans Affairs, National Cemetary Administration	Maui	(2)2-4-002:007 portion and 009	04/27/2016	SHPD concurs no adverse effect and requests continued consultation. SEE LETTER FOR CONCERNS.
2016.00058	Section 106	Renovate bathrooms and kitchen within Facility 566	Marine Corps Base Hawaii 1-8-2016	Oahu	(1)4-4-008:001	01/22/2016	No adverse effect.
2016.00090	6E-42	DRAFT Archaeological Monitoring Report for the Ahuimanu Force Main Pipe Corrosion Repair Project		Oahu	(1)4-5-010:001 and 4-5-004:002 Waikalua Road ROW	04/25/2016	Final plan accepted.
2016.00104	6E-42	DRAFT Archaeological Monitoring Report for the Waimanalo District Park Sewer Improvements Project January 2016		Oahu	(1)4-1-009:264 and Hihimanu Street	03/11/2016	Final plan accepted.
2016.00106	6E-8	REVISED Archaeological Assessment for Farrington Highway Drainage Improvments, vicinity of Princess Kahanu Avenue	State of Hawaii DOT HWY-DH 2.1319	Oahu	(1)8-7-007:001 por. and the Farrington Hwy ROW	02/22/2016	Final plan accepted.
2016.00110	6E-42	Revisions: An AA for a 2.0 acre house site (Olinda, Maui)		Maui	(2)2-4-026:001 por.	01/27/2016	Final plan accepted.
2016.00113	Section 106	Bridge No. 7E Replacement Project, Project No. HI STP SR50(2)	Federal Highway Administration 12-7-15 HFPM-16	Kauai	(4)2-7-002:001 por., 2-7-001:004 por., and 2-7-0001 Kaumualii Highway ROW	05/24/2016	No adverse effect. NHPA.
2016.00114	6E-42	Bridge 7E Historic Resource Inventory Form Reconnaissance Level		Kauai	(4)2-7-001:999	05/24/2016	No adverse effect. NHPA.
2016.00120	6E-42	Archaeological Monitoring Plan for the H-Power Solar Building Project Job No. 2014055		Oahu	(1)9-1-026:033, 034, 035	03/14/2016	Final plan accepted.

2016.00144	Section 106	REVISED Archaeological Monitoring Plan for Kawaihau Elevated Boardwalk Bike and Pedestrian Path, Fed. Project No. STP-0700 (069)		Kauai	(4)4-6-014:030	01/29/2016	Final plan accepted.
2016.00170	Section 106	Harden State Civil Defense Warehouse Building 303 EDA Award No. 07-79-06902 at Diamond Head State Monument for the interior construction of a Business Recovery Center	SOH Dept of Defense, Hawaii Emergency Management Agency	Oahu	not listed	03/21/2016	No adverse effect.
2016.00183	Section 106	Facilities Survey Report for Bldg 320 Improvements and Repairs	USAG HI 1-22-16	Oahu	(1)1-1-008:005	02/10/2016	No adverse effect.
2016.00193	6E-42	Letter dated 1-22-16 from Carlsmith Ball LLP re: Archaeological Assessment for Kohala Coast Concrete & Precast LLP inquiry on status of revised draft report submitted September 15, 2015.		Hawaii	(3)6-5-002:147 & 161	04/21/2016	Final plan accepted.
2016.00199	6E-42	A Preservation Plan for features of Site 50-50-06-3530 in Pauwela Ahupuaa		Maui	(2)2-7-012:086 por.	04/19/2016	Final plan accepted.
2016.00201	Section 106	Update to the Proposed Veerizon Wireless VZW HON Puowaina Communications Facility, 1441 Pali Highway		Oahu	(1)2-1-005:003	02/17/2016	No adverse effect.
2016.00213	Section 106	FEMA-EMW-2015-SS-00003 (21028) Homeland Security Grant Program, Fuel Management at Four Honolulu Fire Stations	FEMA 1-25-16	Oahu	not listed	02/17/2016	No historic properties will be affected. No adverse effect.
2016.00231	6E-42	Draft Archaeological Inventory Survey for TMK (3)7-2-004:027 Maniniowali Ahupuaa		Hawaii	(3)7-2-004:027	05/13/2016	Final plan accepted.
2016.00234	Section 106	Proposed Artillery Firing Points Project, South Range Acquisition Area, Schofield Barracks	US Army Garrison Hawaii 28 Jan 16	Oahu	(1)9-2-05:002	02/26/2016	SHPD concurs with no historic properties affected.
2016.00244	Section 106	Archival copy of the Historic American Buildings Survey for HABS HI-569 for Outrigger Waikiki Surf (Courtyard Marriott Waikiki Beach), HON Ohana	National Park Service H38 (PW-CR) 1-27-16	Oahu	(1)2-6-020:018	02/22/2016	No adverse effect.

2016.00246	6E-42	Archaeological Inventory Survey for On-and Off-Site Improvements associated with the proposed Piilani Promenade Project, and Updated Recommendations for Sites Identified in a 1994 Archaeological Inventory Survey		Maui	(2)3-9-001:016, 169-174 and 2-2-002:016, 077 and 082, 3-9-001:148, 3-9-048:122	02/09/2016	Final plan accepted previously. Sending copy back to Library.
2016.00251	6E-42	Final AMP for renovation and new construction at a parcel in Olowalu Makai Komohana Subdivision (Golestani Residence)		Maui	(2)4-8-003:121	04/14/2016	Final plan accepted.
2016.00252	6E-42	Archaeological Monitoring Plan for Makena Farm Lots Subdivision		Maui	(2)2-1-007:067	02/03/2016	Final plan accepted.
2016.00259	6E-42	Draft Archaeological Monitoring plan for construction of a single family residence		Molokai	(2)5-4-007:009 por.	04/18/2016	Final plan accepted.
2016.00266	6E-42	Draft Archaeological Monitoring report for the Palani Avenue Drainage Improvements Project		Oahu	(1)2-7-034: Date Street ROW	03/31/2016	Final plan accepted.
2016.00267	6E-42	Draft Archaeological Monitoring Report for the Allure Waikiki Development Project		Oahu	(1)2-6-013:001, 003, 004, 007-009, 011, and 012	03/31/2016	Final plan accepted.
2016.00269	6E-42	Draft Archaeological Monitoring Report for the BWS Water Main Replacement Project at Ward Avenue		Oahu	(1)2-1-040:001; 2-1-041:024, 026, 028; 2-1-042:018, 024; 2-1-044:001, 003, 005, 032, 033; 2-1-049:080; 2-3-003:001; 2-3-008:001, 002; 2-4-001:001; 2-4-014:021 and 024	03/29/2016	Final plan accepted with revisions requested.
2016.00274	Section 106	Repair water main along B Street at MCBH	Marine Corps Base Hawaii 2-4-16	Oahu	(1)4-4-008:001	02/08/2016	SHPD concurs with no historic properties affected.
2016.00275	Section 106	More information for Improvements and Repairs at Building 320 at Fort Shafter	US Army Garrison Hawaii	Oahu	(1)1-1-008:005	03/04/2016	No adverse effect.
2016.00297	Section 106	Literature Review and Field Inspection: Proposed Lahaina Front Street Small Cell Network,		Maui	(2)4-5-001:999. 4-5-002:999, 4-6-008:086, 4-6-001:999 and 4-6-009:999 pors.	04/18/2016	No historic properties will be affected. No adverse effect.

2016.00330	Section 106	Renovation and repair at Building 520 at Fort Shafter	Department of the Army, Directorate of Public Works	Oahu	(1)1-1-008:005	03/09/2016	SHPD concurs no adverse effect.
2016.00331	Section 106	HON Point Panic, Verizon Wireless proposes to install antennas at an elevation of 59 feet (85 foot overall structure height) just below the roofline on the exterior facade of the Hawaiian Childrens Discovery Center and install equipment and a generator on the adjacent ground space. 111 Ohe Street, Honolulu.		Oahu	(1)2-1-060:017	03/10/2016	No historic properties will be affected. No adverse effect with conditions.
2016.00341	6E-42	DRAFT Archaeological Monitoring Plan for the Makaha West Irrigation Wells System		Oahu	(1)8-4-002:055 por.	03/14/2016	Final plan accepted.
2016.00344	Section 106	Installation of two emergency water fill points at Bulding 1580 at Schofield Barracks.	US Army Garrison Hawaii Feb 8, 2016	Oahu	(1)7-6-001:008	03/10/2016	No adverse effect.
2016.00350	Section 106	USDA Housing Preservation Grant for Candido Ramos and Magdalena Ramos for health & safety dwelling deficiencies	USDA	Hawaii	(3)1-6-149:011	02/24/2016	No historic properties will be affected. No adverse effect.
2016.00351	6E-8	Draft Archaeological Monitoring Plan for the installation of a new street light on S. Kihei Road at Kanani Road	County of Maui	Maui	(2)3-9-017:999	03/22/2016	Final plan accepted.
2016.00358	6E-42	Resubmittal Archaeological Inventory Survey for the 803 Waimanu Street Project		Oahu	(1)2-1-049:050, 070, and 072	03/30/2016	Final plan accepted.
2016.00367	6E-42	REVISED DRAFT Archaeological Monitoring Report in support of the Kailua District Park Ball Field Lighting System Replacement Project		Oahu	(1)4-3-056:009	03/15/2016	Final plan accepted.
2016.00376	6E-42	Archaeological Monitoring Report for the Moikeha Cave Landscaping Project Site 50-10-37-24264		Hawaii	(3)7-8-010:044	03/14/2016	Final plan accepted.
2016.00380	6E-8	DRAFT AMP for the construction of a new residence FIORI at Sandhills Estate Subdivision		Maui	(2)3-8-089:102	03/22/2016	Final plan accepted.

2016.00385	6E-42	Draft Addendum Archaeological Inventory Survey Plan for the Block G Project, Kakaako		Oahu	(1)2-1-052 and 2-1-053 various plats and parcels	05/26/2016	Final plan accepted.
2016.00393	6E-42	Draft Revised AMP for Hana Hotel Wastewater Improvements at Hamoa Mokae Beach Park		Maui	(2)1-4-010:000 pors.	03/23/2016	Final plan accepted.
2016.00395	Section 106	Construct boardwalk and install shower erosion controls along North Beach MCBH	Marine Corps Base Hawaii Feb 18, 2016 LE/016-16	Oahu	(1)4-4-008:001	02/26/2016	Concur. No adverse effect.
2016.00401	6E-42	DRAFT Addendum Archaeological Monitoring Plan for the Ward Village Shops Project, Sewer Line Lateral Installation		Oahu	(1)2-3-005:013 por.	03/31/2016	Final plan accepted.
2016.00410	Section 106	Letter of concurrence Verizon Wireless H13 Olaa Reserve Ensite #25743		Hawaii	not listed	02/24/2016	No adverse effect.
2016.00418	6E-8 and Section 106	Draft Archaeological Monitoring Plan for the Ka Makana Alii Shopping Center OR&L Crossing Project		Oahu	(1)9-1-016:027, 031, 142, and Roosevelt Avenue ROW	05/13/2016	Final plan accepted.
2016.00450	Section 106	Consultation for drop zones in the Keamuku Maneuver Area, Pohakuloa Training Area	US Army Garrison Hawaii Feb 20, 2016	Hawaii	(3)7-8-001:041 por., 042 por., 045 por.	03/03/2016	SHPD concurs no adverse effect.
2016.00467	6E-42	Letter from Carlsmith Ball LLP dated 2-25-16 re: Archaeological Assessment for Kohala Coast Concrete & Precast LLC		Hawaii	(3)6-5-002:147 & 161	04/21/2016	Final plan accepted.
2016.00473	6E-42	Archaeological Inventory Survey for the Kauai Community College Rezone Campu Project	Kauai Community College attn: Dr. Helen Cox	Kauai	(4)3-4-007:001, 002, and 006	04/15/2016	Final plan accepted.
2016.00478	6E-8 and Section 106	Request for review of Archaeological Inventory Survey Plan AISP amendment Paia Relief Route Project STP-036-1(11) Alternative 3B	State of Hawaii Dept of Transportation HWY-PA 2.1718	Maui	(2)2-5-005:018 por., 010 por., and 2-5-006:016 and 017 por.	03/22/2016	Final plan accepted.
2016.00486	Section 106	Kalaeloa Energy Corridor	Federal Highway Administration HDA-HI 3-1-16	Oahu	(1)9-1-013: 0332, 045, 088, 098, 101 and 9-1-016:006, 027	03/29/2016	SHPD concurs no adverse effect.
2016.00515	Section 106	Specifications for ABMC Courts of Missing Stone Replacement PHASE 1 National Memorial Cemetery of the Pacific	US Army Corps of Engineers	Oahu	(1)2-2-005:002	03/18/2016	No adverse effect.

2016.00519	6E-42	Archaeological Inventory Survey Report on 132 Acres in Alae Ahupuaa, South Kona		Hawaii	(3)8-7-005:001, 002, 010-019	06/15/2016	Final plan accepted.
2016.00529	6E-42	DRAFT Archaeological Monitoring Plan for the Special Use Permit for the Napili Point 1 AOA SMX 2015-0465 and Napili Point II SMX 2015-0472 Project		Maui	(2)4-3-002:021 por. and 4-3-002:043 por.	04/18/2016	Final plan accepted.
2016.00532	Section 106	Operational Range Clearance of Former Aerial Target at Marine Corps Training Area Bellows	Marine Corps Base Hawaii 3-1-16	Oahu	(1)4-1-015:001	03/29/2016	SHPD concurs no adverse effect.
2016.00533	Section 106	Natural Resources Analysis of Wetlands at MCBH	Marine Corps Base Hawaii 3-1-16 LE/019-16	Oahu	(1)4-4-008:001	03/29/2016	SHPD concurs no adverse effect.
2016.00557	Section 106	Install window security measure for Building 4 First Deck Windows at Camp Smith	Marine Corps Base Hawaii 3-7-16	Oahu	(1)9-9-010:007	03/21/2016	No adverse effect.
2016.00559	6E-42	DRAFT Archaeological Inventory Survey for 413 Seaside Avenue, Waikiki		Oahu	(1)2-6-021:056, 057, 062, 065	04/11/2016	Final plan accepted.
2016.00565	6E-42	DRAFT Archaeological Monitoring Report for the Keei Water Line Improvements Project		Hawaii	(3)8-3-004:001 por. and 8-3-005:001 por.	04/30/2016	Final plan accepted.
2016.00573	6E-42	Revised Archaeological Monitoring Plan for proposed Sudz Car Wash		Kauai	(4)4-5-004:003	03/14/2016	Final plan accepted with the requested sections.
2016.00583	6E-42	Sale of Remnant (Cancellation of reserved easement) in Palolo Valley, TMK (1)3-4-006:002 portion	DLNR Land Division 3-7-16 Ref.No. 150D-207	Oahu	(1)3-4-006:002 portion	04/27/2016	SHPD's revised determination is no historic properties affected.
2016.00607	6E-42	REVISED draft archaeological monitoring plan for the H-Power Solar Building Project Job No. 2014055		Oahu	(1)9-1-026:033, 034, 035	03/14/2016	Final plan accepted. SHPD requests to be notified at start of archaeological monitoring.
2016.00619	Section 106	Requesting consultation for the proposed Hale Mahaolu Ewalu Project		Maui	(2)2-3-066:019 and 020	03/18/2016	Concurs with the APE and no adverse effect.
2016.00623	Section 106	HIARNG reply to SHPD dated 3-11-16 re Construction of a new Combined Support Maintenance Shop CSMS at the Hawaii Army National Guard, Keaukaha Military Reservation, Hilo, Hawaii	Hawaii Army National Guard March 11, 2016	Hawaii	(3)2-1-013:010 and 2-1-012:003	05/06/2016	No adverse effect.

2016.00628	6E-42	Revised Draft Archaeological Monitoring Plan for the Solar Electric Installation at Ewa Beach Golf Club SCS Project 1843-AMP-2		Oahu	(1)9-1-001:006 por. and 030 por.	03/16/2016	Final plan accepted. SHPD requests to be notified at start of archaeological monitoring.
2016.00641	6E-42	DRAFT Archaeological Monitoring Plan for the Reconstruction of the Hale Pili Project, Hawaiian Mission Houses Historic Site and Archives, 553 South King Street, Honolulu		Oahu	(1)2-1-032:002 por.	04/30/2016	Final plan accepted.
2016.00655	6E-42	Archaeological Monitoring Plan for a 17,390 Square Foot portion of land in Paeahu Ahupuaa, Makawao, Maui (Felder Residence)		Maui	(2)2-1-010:012	04/19/2016	Final plan accepted.
2016.00659	6E-42	Draft Archaeological Monitoring Plan Pahoia Elementary School Electrical Upgrade Project, DOE Job No. Q18001-13		Hawaii	(3)1-5-114:025 and 026	03/18/2016	Final plan accepted.
2016.00667	Section 106	More information provided for Construction of a new Combined Support Maintenance Shop CSMS at the Hawaii Army National Guard, Keaukaha Military Reservation, Hilo, Hawaii	Hawaii Army National Guard March 11, 2016	Hawaii	(3)2-1-013:010 & 2-1-012:003	05/06/2016	No adverse effect.
2016.00670	6E-42 and Section 106	Verizon Rocky Hill project more info, HON Rocky Hill		Oahu	(1)2-8-022:002	03/17/2016	No adverse effect with conditions. See letter.
2016.00693	6E-42	Archaeological Monitoring Plan for a residential parcel at 50 Alahale Place in Coastal Kihei, Kamaole Ahupuaa (Desmond Residence)	County of Maui	Maui	(2)3-9-003:048	04/19/2016	Final plan accepted.
2016.00696	Section 106	Repair of the failing surface of the lighthouse, Molokai Light Station	National Parks Service email 3-21-16	Molokai	not listed	03/31/2016	SHPD concurs no adverse effect.
2016.00699	6E-42	Cultural Resources Review and Field Inspection for the Proposed Verizon Wireless Palama Settlement Telecommunications Facility		Oahu	(1)1-7-045:001 por.	03/23/2016	No adverse effect with conditions. No historic properties affected with conditions. See letter.
2016.00709	Section 106	Repair four inert storehouses Facilities 708, 709, 711, and 712 MCBH	Marine Corps Base Hawaii 3-22-16	Oahu	(1)4-4-009:003	04/12/2016	No adverse effect.

2016.00726	Section 106	New letter for HONO Wilson Tunnel 2 Ensite 23476 HONO Palolo		Oahu	not listed	03/28/2016	No adverse effect.
2016.00727	Section 106	HABS Melim Building for proposed Verizon Wireless HONO Downtown Communication Facility		Oahu	(1)2-1-026:014	04/22/2016	No historic properties will be affected. No adverse effect.
2016.00734	Section 106	Replace existing split AC units Bldg 201 MCB Hawaii	Marine Corps Base Hawaii 3-28-16 LE/030-16	Oahu	(1)4-4-009:003	04/26/2016	No adverse effect.
2016.00735	Section 106	Replace existing split AC units Bldg 217 MCB Hawaii	Marine Corps Base Hawaii LE/027-16 Mar28, 2016	Oahu	(1)4-4-009:003	04/26/2016	No adverse effect.
2016.00736	Section 106	Replace Building 212 Roof MCB Hawaii	Marine Corps Base Hawaii LE/006-16 March 28, 2016	Oahu	(1)4-4-009:003	04/27/2016	No adverse effect.
2016.00743	Section 106	Review and Concurrence for proposed undertakings to replace exterior door at Building 11 and install electrical subpanel and receptacle at Building 39006, Kaena Point Satellite Tracking Station	Department of the Air Force, 50th Space Wing AFSPC	Oahu	(1)6-9-003:005	04/25/2016	No adverse effect.
2016.00748	6E-8 and 6E-42	Archaeological Literature Review for the Proposed Kaanapali Beach Restoration Project	DLNR OCCL	Maui	(2)4-4-008:001, 002, 003, 004, 005, 019, 022; 4-4-013:001, 002, 006, 007, 008	03/31/2016	Final plan accepted.
2016.00752	6E-42	REVISED DRAFT Preservation Plan for Site 50-80-12-1725 in Kalaeloa, Honouliuli, Ewa, Oahu		Oahu	(1)9-1-013:001	04/11/2016	Final plan accepted.
2016.00763	Section 106	Install GPS Antenna on Building 5 aboard Camp Smith	Marine Corps Base Hawaii 3-28-16 LE/039-16	Oahu	(1)9-9-010:007	04/22/2016	No adverse effect.
2016.00764	Section 106	Replace existing split AC unit Facility 504 aboard MCBH	Marine Corps Base Hawaii 3-28-16 LE/028-16	Oahu	(1)4-4-009:003	04/26/2016	No adverse effect.
2016.00768	Section 106	Renovation of Bldg. 621 at the Hawaii Army National Guard HIARNG Keaukaha Military Reservation, Hilo	Hawaii Army National Guard March 28, 2016	Hawaii	(3)2-1-013:010 & 2-1-012:003	04/21/2016	No adverse effect.
2016.00772	Section 106	Installation of Solar Panels at Quads C, E, and F at Schofield Barracks	US Army Garrison Hawaii Mar 29, 2016	Oahu	(1)7-007:001	04/26/2016	No adverse effect.

2016.00783	6E-42	Archaeological Inventory Survey of TMK (3)7-5-004:024 for Katie Karras		Hawaii	(3)7-5-004:024	05/05/2016	Final plan accepted.
2016.00789	Section 106	Replacement of an existing wash rack at the Hawaii Army National Guard HIARNG Hanapepe Armory	Hawaii Army National Guard March 28, 2016	Kauai	(4)1-8-008:007 & 078	03/29/2016	SHPD concurs no adverse effect.
2016.00802	Section 106	Reroof Buildings 25 and 76 at Kilauea Military Camp KMC	US Army Garrison Hawaii 4-1-16	Hawaii	not listed	04/26/2016	No adverse effect.
2016.00804	6E-42	Art in Public Places Project: Patsy Mink statue outside of the Hawaii State Library.		Oahu	(1)2-1-025:001	05/27/2016	No adverse effect on the historic integrity of the District or the Hawaii State Library and its site.
2016.00816	6E-42	Archaeological Monitoring Plan for the proposed Fire System DCDA Water Line Project at the Kahana Manor, 4310 Lower Honoapiilani Road, Lahaina		Maui	(2)4-3-010:011 por.	04/06/2016	Final plan accepted.
2016.00835	6E-42	FINAL AMP for improvements along Kamehameha Avenue in Kahului Town		Maui	(2)3-8-007:999 pors.	04/19/2016	Final plan accepted.
2016.00840	Section 106	Repainting of Various Buildings at Kilauea Military Camp KMC	US Army Garrison Hawaii 4-8-16	Hawaii	(3)9-9-001:001	04/26/2016	No adverse effect.
2016.00851	Section 106	Compliance regarding Main Supply Route Improvements in the Keamuku Maneuver Area, Pohakuloa Training Area	US Army Garrison Hawaii Pohakuloa 4-4-16	Hawaii	(3)6-7-001:003, 045, 042 por.	05/13/2016	No adverse effect. More information requested and continued consultation.
2016.00857	6E-42	Archaeological Monitoring Plan for Planned Improvements to a portion of a 10,510 square foot parcel of land in Waiehu, Maui (Habitat for Humanity)		Maui	(2)3-3-001:019 por.	04/19/2016	Final plan accepted.
2016.00858	6E-42	Archaeological Monitoring Plan for a construction project on a 10,854 square foot parcel, Wailuku, Maui (Crockford Residence)		Maui	(2)3-4-001:009	04/19/2016	Final plan accepted.
2016.00861	Section 106	Effect Determination for Rectangular Rapid Flashing Beacon Crosswalk and Sidewalk Improvements Fed.Project No. SRS-1500(086) Work Order No. 105	Federal Highway Administration HDA-HI 4-11-16	Kauai	(4)4-3-003:999, 2-3-014:999, 1-3-003:999, 1-3-008:999	04/15/2016	SHPD concurs no adverse effect.
2016.00863	6E-42	OR & L Annex reroof and spall repair		Oahu	(1)1-5-007:001	04/25/2016	No adverse effect.

2016.00865	6E-42	Archaeological Monitoring Report for the Maui Countrywide Wastewater Pump Station Renovations Phase II Project Kihei 10 Wastewater Pump Station		Maui	(2)2-1-008:059 por.	04/19/2016	Final plan accepted.
2016.00866	Section 106	Installation of new mooring points; Wheeler Army Airfield, National Historic Landmark	US Army Garrison Hawaii 4-8-16	Oahu	(1)7-7-001:001	04/30/2016	No adverse effect.
2016.00867	6E-42	Kekuanaoa Building re-roofing project and other repairs. 465 South King Street		Oahu	(1)2-1-025:003	04/19/2016	No adverse effect.
2016.00868	6E-42	Kamehameha V Post Office repair rood, remove skylight, & replace AC on roof. DAGS Project No. 62-10-0804, 44 Merchant Street, Honolulu		Oahu	(1)2-1-002:012	04/25/2016	No adverse effect.
2016.00874	6E-8	Construction of Golf Cart Crossing at Easement G-2 at the Joint Alignment of Old Government Road SIHP 10290 and Ala Loa Trail SIHP 21664		Hawaii	(3)8-1-033:021	05/17/2016	Final plan accepted.
2016.00914	6E-42	Archaeological Monitoring Plan for Water Meter Installation at Unit 2, Sprecklesville Beach Condominium SCS 1855-2 AMP		Maui	(2)3-8-001:072 por.	04/18/2016	Final plan accepted.
2016.00938	6E-42	Letter from Carlsmith Ball LLP dated 4-14-16 re: Archaeological Assessment for Kohala Coast Concrete & Precast LLC		Hawaii	(3)6-5-002:147 & 161	04/21/2016	Final plan accepted.
2016.00943	Section 106	HONO Palolo Ensite 24448		Oahu	not listed	04/21/2016	No historic properties will be affected. No adverse effect.
2016.00969	Section 106	Preventative Maintenance on Interior of Building 36 at Kilauea Military Camp KMC	US Army Garrison Hawaii 4-15-16	Hawaii	(3)9-9-001:001	05/13/2016	No adverse effect.
2016.00987	6E-42	REVISED Archaeological Monitoring Plan for the proposed construction of a second dwelling, accessory dwelling, and a driveway on the parcel located in Ku'au at 45 Lana Street, Hamakuapoko, Maui		Maui		04/27/2016	Final plan accepted.

2016.00988	6E-42	REVISED Archaeological Monitoring Plan for the proposed construction of a swimming pool and spa on a parcel located in Sandhills Estates Subdivision at 11 Keonelo Street, Wailuku		Maui	(2)3-8-089:046	04/27/2016	Final plan accepted.
2016.00997	Section 106	Rehabilitation of Second Floor, Building 525 at Fort Shafter	US Army Garrison Hawaii 4-22-16	Oahu	(1)1-1-008:005	05/24/2016	No adverse effect.
2016.01004	Section 106	Coat Fuel Pier I-beams with corrosion protection at MCBH	Marine Corps Base Hawaii LE/053-16 4-20-16	Oahu	(1)4-4-009:003	05/09/2016	No adverse effect.
2016.01005	Section 106	Proposed photovoltaic solar panels on non-historic residences carports, Hickam Field.	Navy Region Hawaii 4-19-16 Ser N4/0510 5750	Oahu	not listed	05/19/2016	No adverse effect.
2016.01055	Section 106	Building 601H, Hickam Water Tower, Hickam Field Historic District	Navy Region Hawaii 4-27-16 Ser N4/0518	Oahu	(1)9-9-001:013	05/19/2016	SHPD concurs no adverse effect.
2016.01056	Section 106	Install concrete pedestal and plaque memorial commemorating MV-22 Mishap at Marine Corps training area Bellows	Marine Corps Base Hawaii 4-29-16	Oahu	(1)4-1-015:001	06/02/2016	SHPD concurs with no historic properties affected.
2016.01134	Section 106 and 6E-10	HART renovations designed at the Nuuanu Shops within the Historic Chinatown District, 158 - 162 North King Street	Honolulu Authority for Rapid Transportation	Oahu	(1)1-7-003:066	06/06/2016	No historic properties will be affected. No adverse effect.
2016.01135	Section 106	Resubmittal of drawings for the Sumida Building, revisions. 1138 Maunakea Street		Oahu	(1)1-7-003:048	06/06/2016	No adverse effect with conditions. No historic properties affected with conditions. See letter.
2016.01231	6E-43	Burial Site Component of a Preservation Plan for Site 50-50-02-7168 Kahekili Highway Repair Project, County Job No. 09-48, Kahakuloa, Wailuku		Maui	(2)3-1-002:016 por.	06/07/2016	Final plan accepted.
2016.01232	6E-43	DRAFT Burial Site Component of a Preservation Plan for SIHP #50-80-14-7714, HECO P20 Project at 380 Kapahulu Avenue, Waikiki		Oahu	(1)2-6-021:056, 057, 062, 065	06/07/2016	Final plan accepted.
2016.01252	6E-42	Resubmittal of Final report: Archaeological Inventory Survey Report on 123 acres in Alae ahupuaa, South Kona		Hawaii	(3)8-7-005:001, 002, 010-019	05/25/2016	Final plan accepted.

2016.01253	Section 106	consultation for USDA Farm Service Agency FSA CREP Application for Rincon Del Cielo LLC	USDA Rural Development May 17, 2016	Hawaii	(3)4-2-009:014	06/01/2016	SHPD concurs with the FSA's determination of no historic properties affected if the proposed undertaking activities are confined to the previously disturbed areas.
2016.01283	6E-42	Draft Archaeological Inventory Survey Report for the Kukuiula Community Development Parcel A Project		Kauai	(4)2-6-015:014	06/16/2016	Final plan accepted.
2016.01293	6E-42	Archaeological Inventory Survey for the Kahaluu Ma Kai Project Volume I		Hawaii	(3)7-8-013:002, 013, 042, and 043	05/31/2016	Final plan accepted.
2016.01320	6E-42	Archaeological Inventory Survey for the Proposed Kona Faith Center - Resubmittal		Hawaii	(3)8-1-008:020 por. and 021	06/07/2016	Final plan accepted.
2016.01342	6E-42	DRAFT Archaeological Monitoring Plan for the Kakaako Pumping Station SIHP #50-80-14-9710 Project, 653 Ala Moana Boulevard, Kakaako Makai	Hawaii Community Development Authority	Oahu	(1)2-1-015:063	06/01/2016	Final plan accepted.
2016.01365	6E-8	Archaeological Inventory Survey for the Proposed Aina Haina 170" Potable reservoir No. 2		Oahu	(1)3-6-016:040, 3-6-019:012 por.	06/03/2016	Final plan accepted.
2016.01386	6E-42	Archaeological Monitoring Plan in support of rehabilitation of localized streets Phase 13B, Kaneohe and Kailua A		Oahu	(1)4-2-101:059, 4-2-102:001 to 083, 085, 088; 4-5-029:051 and 059	06/15/2016	Final plan accepted.
2016.01442	6E-42	REVISED Archaeological Monitoring Report of Vegetation Clearing at TMK(3)7-5-010:61 Puaa 1st Ahupuaa, Kailua Kona, Hawaii		Hawaii	(3)7-5-010:061	06/15/2016	Final plan accepted.