

Revocable Permits for Water Statewide

Permittee	Location	Proposed Use of Water	Consumptive or Non-consumptive	Notes
ALEXANDER & BALDWIN, INC. (RPs 7263, 7264 & 7265) and EAST MAUI IRRIGATION CO. LTD. (RP7266)	Hana, Maui; (2) 1-1-001:044; 1-1-001:050; 2-9-014:various; 1-1-002:002; 1-2-004:005 & 007	Irrigation and other uses.	Consumptive	Est. total water use from May 2018 through April 2019= 9723.01 million gallons. Average of 26.64mgd.
HAWAII ELECTRIC LIGHT CO., INC. (RP7463)	South Hilo, Hawaii; (3) 2-6-009	Hydroelectric power generation.	Non-consumptive, except for system losses	
KAPAPALA RANCH (RP7054)	Kau, Hawaii; (3) 9-8-1:3,9,10; 9-7-1:1	Watering livestock and wildlife.	Consumptive	Est. total water use from January 2019 through June 2019= 4.627 million gallons. Average of 0.0257mgd.
KUAHIWI CONTRACTORS, INC. (RP7426)	Kau, Hawaii; (3) 9-7-1:1,15	Watering livestock.	Consumptive	Est. total water use from December 2018 through June 2019= 13.396 million gallons. Average of 0.0638mgd.
OLSON, TRUSTEE, EDMUND C. (RP7432)	Kau, Hawaii; (3) 9-6-6; 9-6-7; 9-6-8; 9-7-1	Irrigation and watering livestock.	Consumptive	Est. total water use from December 2018 through June 2019= 3.195 million gallons. Average of 0.0152mgd.
WOOD VALLEY WATER & FARM COOPERATIVE (RP7267)	Kau, Hawaii; (3) 9-7-001:001	Public drinking water, irrigation and watering livestock.	Consumptive	Est. total water use from January 2019 through June 2019= 4.288 million gallons. Average of 0.0238mgd.
KAUAI ISLAND UTILITY COOPERATIVE (RP7340)	Lihue, Kauai; (4) 3-9-001:001	Hydroelectric power generation.	Consumptive. Although this is a hydroelectric project, the water is not returned to the same stream from which it is diverted.	Est. total water use from June 2018 through May 2019: North Wailua Ditch (Waikoko Stream)= 3261 million gallons; (North Fork Wailua Stream)= 2351 million gallons. Total average of 15.38mgd; 2019 average of 11.34mgd.

Revocable Permits for Water Statewide

LINDER, JEFFREY S. (RP7088)	Kawaihau, Kauai; (4) 4-9-001:001	County water supply and irrigation purposes.	Consumptive	No reporting requirement in permit but estimated average use is 0.15mgd.
-----------------------------	----------------------------------	--	-------------	--