
Hōkūala Habitat Conservation Plan Annual Report: July 1, 2019 – June 30, 2020



Prepared by:

Reginald E. David
Rana Biological Consulting.
P.O. Box 1371
Kailua-Kona, Hawai'i 96745
&
Alan Silva
Timbers Hokualea HCP Department

Prepared for:

Tower Kauai Lagoons, LLC

July 31, 2020

Table of Contents

Outline of the Document	4
Section 1	4
Introduction and Background	4
HCP Sections and Specific Obligations	4
One-Time Obligations.....	4
Nēnē Mitigation Payment (HCP Section 4.4.1.6).....	4
Ongoing Obligations	4
Financial Assurances (Section 6.4).....	4
Training (“Endangered Species Awareness Program”) (Section 4.2.1.1)	5
Construction Contract Provisions (Section 4.2.1.2)	5
Pre-Construction Surveys (Section 4.2.1.3)	5
Biological Monitor (Section 4.2.1.4).....	5
Construction Monitor (Section 4.2.1.5)	5
Fencing (Section 4.2.1.6).....	5
Best Management Practices (Section 4.2.1.7).....	6
Roadways (Section 4.2.2.1)	6
Lighting (Section 4.2.2.2)	6
Grounds Management and Maintenance (Section 4.2.2.3).....	6
Rules, Education for Resort Owners and Renters (Section 4.2.2.4)	6
Golf Operations (Section 4.2.2.5).....	7
Maintenance of On-Site Nesting Areas (Section 4.4.1.2)	7
Emergency Response Protocol (Section 4.4.1.4)	7
Facilitate DOFAW removal of Nēnē (Section 4.4.1.5)	8
Predator Control (Section 4.42).....	8
Seabird Mitigation Payments (Section 4.4.3; HCP Amendment of September 2013).....	8
Nēnē Monitoring During Nesting Season (Section 4.5.3)	8
Waterbird Monitoring (Section 4.5.4)	8
Seabird Monitoring (Section 4.5.5)	9
Incidental Take Reporting.....	9
Section 2	11
Nēnē Nesting Observations	11
Nēnē Hazing	7
Waterbird Surveys.....	17
Waterbird Nesting	18
Take	22
Predation	23
Trapping and Predator Control Efforts	23
Roadways, speed limits and endangered species signage	23
Speed Bumps	28
Construction Monitoring	28

Endangered Species Awareness Training	28
Certification (Implementation Agreement, Section 8.3)	29
Literature Cited	30

List of Figures

Figure 1 - Timbers Kauai Ocean Club & Residences
Figure 2 - Nēnē Nest Sites Island 2, Main Lagoon 2019-2020 Season
Figure 3 - Nēnē Nest Site, Main Lagoon and 800 Parking lot – 2019-2020 Season
Figure 4 - Nēnē Nest Site, Islands 5, 6, and 7 – 2019-2020 Season
Figure 5 - Nēnē Nest Sites, Irrigation Pond and Tree Farm/Nursery and Garden – 2019-2020 Season
Figure 6 - Hōkūala Overview of Water Features
Figure 7 – Bridge 2 to Kalanipu‘u Waterbird Nests
Figure 8 – Main Lagoon Waterbird Nests
Figure 9 – 800 Parking Lot and OC-8 Pond Waterbird Nests
Figure 10 – Mokihana 3 Pond Waterbird Nests
Figure 11 - Irrigation and Farm Ponds Waterbird Nests
Figure 13 - Posted Speed Limit Hōkūala Resort
Figure 14 – Location of Cautionary Signs Deployed on the Property 2019-2020
Figure 15 – Nēnē Crossing Sign Semi-permanent
Figure 16 -Wildlife Warning and Do Not Feed the Nēnē Signs, Portable
Figure 17 – Wildlife slow down warning signs placed every 45 feet along Holokawelo Road
Figure 18 - Sandwich Board Portable sign in the Middle of Holokāwelu Road with Wildlife Monitors
Figure 19 - Detail of Sandwich Board Portable Sign with Changeable Insert
Figure 20 - Typical Endangered Waterbird Informational Sign

List of Tables

Table 1- Take and Cause of Take July 1, 2019 – June 30, 2020
Table 2- Hōkūala Direct and Indirect Take from Permit Inception Through June 30, 2020
Table 3 - Hōkūala Permitted Take in the ITP and ITL Issued in 2012.
Table 4 - Nēnē Egg Production and Survivorship at Hōkūala July 1, , 2019 – June 30, 2020
Table 5 - Nēnē Nest and Egg Fates July 1, , 2019 – June 30, 2020
Table 6 - Un-hatched Nēnē Eggs Fates July 1, , 2019 – June 30, 2020
Table 7 – 2019-2020 Hōkūala Nēnē Nesting Season
Table 8 - Band Codes for Nēnē at Hōkūala 2019-2020
Table 9 - Hōkūala Waterbird Surveys Counts July 1, , 2019 – June 30, 2020 ~91 Counts
Table 10 - Additional Waterbird nesting at Hōkūala 2019-2020
Table 11 - Hōkūala Take July 1, , 2019 – June 30, 2020
Table 12 - Take over time by species on an annual basis
Table 13 - Trapping and Predator Removal Totals from Hōkūala July 1, , 2019 – June 30, 2020
Table 14 - Nēnē and T&E caution signs on property 2019-2020

Outline of the Document

In the first section of this report we present updates on compliance with all of the terms and conditions included in the HCP (Ebbin, Moser + Skaggs LLP, and Rana Biological Consulting, Inc. 2009). This section includes the specific reference to each topic in the HCP for clarity. In the second section of the document, which begins on page 11. We have presented more detailed information and data associated with each of the topics addressed in the first section of the document.

Section 1

Introduction and Background

In 2012, the U.S. Fish and Wildlife Service (USFWS) and the Hawaii Department of Land and Natural Resources (DLNR)/Division of Forestry and Wildlife (DOFAW) approved the Habitat Conservation Plan (HCP) prepared by Kauai Lagoons LLC and issued to Kauai Lagoons an Incidental Take Permit (ITP) and Incidental Take License (ITL), respectively. The effective date of those incidental take authorizations was April 12, 2012 for the ITL and November 9, 2012 for the ITP. On January 1, 2016 the former Marriott Vacation Resort known as Kauai Lagoons was transferred to Tower Kauai Lagoons LLC and renamed Hōkūala Resort. The USFWS transferred the ITP to the new owner in December 2016. The ITL transferred to the new owner automatically as the ITL runs with the land.

Section 4.5 of the HCP requires that the permit holder produces and submits an annual HCP compliance and monitoring report to both agencies by September 30 of each year. Per DOFAW's request annual reports will be submitted by August 1 of each year and cover July 1 to the following June 30.

HCP Sections and Specific Obligations

One-Time Obligations

Nēnē Mitigation Payment (HCP Section 4.4.1.6)

Requirement: A one-time payment of \$85,000 to the DLNR Endangered Species Trust Fund. DLNR is to use these funds to control predators and/or manage Nēnē at a translocation site.

Status: Completed (May 2012)

Ongoing Obligations

Financial Assurances (Section 6.4)

Requirement: Post a bond or letter of credit in the amount of \$153,667. Under Section 7.2 of the HCP Implementing Agreement, the bond term must be two years, and a Continuation Certificate must be sent to DLNR with a copy to USFWS at least six months prior to expiration of the bond.

Status: The current bond was issued on June 21, 2020 and its term is from July 1, 2020 through June 30, 2021. A renewed certificate of bonding dated July 1, 2020 was supplied to the agencies on the same day that we received it.

Tower Lagoons Land LLC. Commits to including a line item for complete HCP implementation into its annual operating budget for the life of the HCP.

Training (“Endangered Species Awareness Program”) (Section 4.2.1.1)

Requirement: All new employees hired by the resort operators and any contractors conducting construction activity on the property go through the training program detailed in the HCP.

Status: The training modules were updated for the 2019-2020 season. Dean Pigao trained all new employees prior to them assuming their new jobs throughout the season.

Construction Contract Provisions (Section 4.2.1.2)

Requirement: Develop provisions and restrictions to avoid and minimize take of Covered Species, and insert into all new construction contracts.

Status: New construction was initiated in January of 2016, all construction contracts contained provisions and restrictions to avoid and minimize take of Covered Species. Construction continues on the property and all new construction contracts awarded during this reporting period include these clauses. Construction has been ongoing throughout the reporting period and all contracts awarded since the re-initiation of construction in 2016 contain the aforementioned provisions and restrictions.

Pre-Construction Surveys (Section 4.2.1.3)

Requirement: A biological monitor must survey any new mass grading areas immediately prior to mass grading.

Status: No new grading or mass grading occurred during the reporting period.

Biological Monitor (Section 4.2.1.4)

Requirement: Designate two biological monitors.

Status: In compliance the two monitors designated in the HCP (Alan Silva and Reginald David) remain the designated monitors.

Construction Monitor (Section 4.2.1.5)

Requirement: Use one or more construction monitors during periods of active grading or earth moving.

Status: There was no active grading or earth moving during the reporting period. Hōkūala has one full time monitor and three part time monitors plus the overseeing biologist Reginald David monitoring construction activities on the property during this reporting period.

Fencing (Section 4.2.1.6)

Requirement: Where feasible, erect and maintain solid fencing around discrete construction areas, to prevent Covered Species from walking into such areas.

Status: No active grading or major construction occurred during the reporting period, as vertical construction reached completion, construction fencing was removed, and these areas were landscaped.

Best Management Practices (Section 4.2.1.7)

Requirement: Implement the specific BMPs contained in Section 4.2.1.7 (e.g., speed limits, signage, trash receptacles).

Status: In compliance.

Roadways (Section 4.2.2.1)

Requirement: Post permanent speed limit and Covered Species warning signs, and speed bumps as necessary.

Status: Done – in compliance.

Lighting (Section 4.2.2.2)

Requirement: Ensure that lighting associated with construction of new structures is bird friendly; as new buildings near completion, qualified biologist to inspect lighting after dark to ensure light attraction has been minimized to the maximum extent practicable; analyze onsite seabird fallout monitoring data on an ongoing basis to determine if particular areas within the resort attract downed birds on a regular basis, and if so then take steps to redesign, reconfigure or eliminate potential light attraction sources.

Status: In compliance.

In June of 2018, the new Timbers Kauai Ocean Club & Residences complex was finished and opened (Cover image, and Figure 1). During the design phase of the project Hōkūalas' seabird biologist consulted with the electrical and lighting engineers and designers to ensure that the lighting associated with the facilities were Dark Sky Compliant, and as bird friendly as possible. Prior to the opening of the new facility the biologist conducted a nighttime audit of the property, and identified a small number of lights that could be improved, those improvements and/or modifications were completed prior to the seabird fallout season.

Grounds Management and Maintenance (Section 4.2.2.3)

Requirement: Grounds management crews must go through the training described in Section 4.2.1.1, and must coordinate with the biological monitors as needed.

Status: All employees have received training and during the season communicated effectively and proactively with the biological monitors over potential issues with endangered avian species.

Rules, Education for Resort Owners and Renters (Section 4.2.2.4)

Requirement: Covenants, Conditions and Restrictions (CC&Rs) will address issues such as trash receptacles, trash disposal, landscape design, etc.; endangered species information and education tools will be developed to educate owners and visitors regarding endangered species issues, restrictions, and special seasonal protocols.

Status: In compliance. Additionally, during this reporting period, the HCP staff have started leading bird and farm tours on the Resort for guests and visitors. We are currently working on developing brochures and additional collateral material to give to guests and visitors regarding the HCP, birds, the tree and organic farm which will all be tied together in a unified outreach and property brand and messaging.



Figure 1 – Timbers Kauai Ocean Club & Residences

Golf Operations (Section 4.2.2.5)

Requirement: Golf course Starters and Marshalls must attend additional training from the Biological Monitors in addition to the standard training described in 4.2.1.1; morning briefings for golf course personnel will include updates on Covered Species presence; the Starter will inform each golfer about the potential presence of Covered Species and appropriate precautions; an educational kiosk will be established at the Starter location; golf carts will contain a placard replicating information from the kiosk; warning signs will be posted if a Covered Species establishes a nest within the golf course; golf course to establish a local rule for golf play allowing movement of a ball away from nest areas.

Status: Done and in compliance.

Maintenance of On-Site Nesting Areas (Section 4.4.1.2)

Requirement: Previously enhanced nesting areas shall not be maintained, and supplemental grain feeders shall not be provided on lagoon islands; limited areas of the resort grounds will be managed and maintained as determined and directed by DOFAW and USFWS.

Status: In compliance.

Emergency Response Protocol (Section 4.4.1.4)

Requirement: Implement the protocol contained in HCP, Appendix I.

Status: In compliance.

Facilitate DOFAW removal of Nēnē (Section 4.4.1.5)

Requirement: As appropriate, lend support to DOFAW efforts to capture and translocate Nēnē.

Status: In compliance. DOFAW's Nēnē capture and translocation efforts ended on March 20, 2016. Hōkūāla continues to provide regular access and golf carts to DOFAW staff for their use in DOFAW's Nēnē and waterbird surveys. Please see Page 19 regarding the initiation of Nēnē hazing using border collies on the property being conducted by the US. Department of Agriculture – Wildlife Services (USDA/WS), which started on June 24, 2019, and it has continued with that activity since then.

Predator Control (Section 4.42)

Requirement: Deploy 10 live traps during the period September 15 to March 15 in areas of the property frequented by waterbird Covered Species; check live traps every 48 hours and deliver trapped cats to Kauai Humane Society; deploy rodent bait stations in same areas during this same timeframe; control cattle egrets and feral chickens.

Status: We have surpassed the permit requirements, during this reporting period we deployed up to 63 live traps on the property. Live traps were deployed throughout the year and were placed in areas in response to sightings of mammalian predators. All traps are checked on a daily basis.

A total of 41 cats, 25 pigs and one dog were removed from the property this season. Additionally, 1,799 feral chickens were removed using air rifles. All bird and mammal control activities were conducted under a state Wildlife Depredation Permit, and/or under a federal Migratory Bird Depredation permit. For a more detailed description please see Section 2 (Page 23).

Seabird Mitigation Payments (Section 4.4.3; HCP Amendment of September 2013)

Requirement: Contribute \$10,000 annually to the Listed Hawaiian Seabird Conservation Account administered by the National Fish and Wildlife Foundation. The 2013 payment shall be made by November 1, 2013, and subsequent payments shall be made by September 15 of each year.

Status: A check in the amount of \$10,000 was sent to NFWF on July, 9, 2019 to cover the remainder of the 2019-2020 season.

Nēnē Monitoring During Nesting Season (Section 4.5.3)

Requirement: Biological monitors to monitor Nēnē nesting activity and nesting success on a daily basis starting September 15 and ending on March 31 each year. Monitoring data to be collected includes band numbers, pair bonds, nest location, eggs laid, eggs hatched, goslings fledged, and reported mortalities. In addition, perform monthly monitoring during the remainder of the year (April through August), recording the number of Nēnē on the property and observed band numbers.

Status: In compliance. Please refer to Section 2 (Pages 11 through 18).

Waterbird Monitoring (Section 4.5.4)

Requirement: As part of the comprehensive Nēnē monitoring efforts, the biological monitors will also record information about all observed covered waterbird species on a weekly basis between September 15 and March 31 each year, and on a monthly basis from April through August each year. To include observations regarding waterbird numbers, nest locations, eggs laid, eggs hatched, goslings fledged, and reported mortalities.

Status: We have surpassed the requirement and survey on close to a weekly basis year around. Please refer to Section 2, starting on (Page 19).

Seabird Monitoring (Section 4.5.5)

Requirement: Hōkūala security staff will record all downed seabirds recovered on the property; biological monitors will evaluate security staff search efficiency and carcass removal rates; biological monitors will record the results of their own additional searches performed during the expected peak of the seabird fallout season.

Status: Both security personnel and the onsite biological monitors were re-trained in seabird search and handling techniques prior to the start of the 2019 fallout season. Security personnel conducted searches on an ongoing daily basis as part of their usual patrols of the grounds and buildings. The biological staff searched the buildings and perimeters surrounding the buildings every morning for downed seabirds during the September 15 – December 15 fallout season.

Searcher efficiency trials using seabird carcasses were conducted on the property by the Hōkūala biologist. After three attempts to conduct the trials were rained out, three dead WTSH carcasses secured from the SOS Program, were placed on the site on the night of November 6, 2019. One bird was placed close to the fitness center in the Marriott Kauai Lagoons Kalanipu'u (a location where we have previously recovered a downed seabird). The second bird was hidden in the back of the golf clubhouse, and one bird was placed within the parking garage of the new Timbers Kauai Ocean Club and Residences. Resort security personnel, groundskeepers and in one case a cleaning staff person found all three birds within hours of them being placed on the site.

Incidental Take Reporting

Based on a review of records, and discussions with Hōkūala the USFWS and DOFAW have prepared a spreadsheet documenting all reported instances of downed, injured or dead birds at Kauai Lagoons/Hōkūala since the inception of the HCP. The following is a summary of the information contained in the spreadsheet pertaining to the current reporting period.

Between July 1, 2019 and June 30, 2020 Hōkūala experienced the direct incidental take of two Common Gallinules, and one Hawaiian Coot (Table 1). Two of these birds were hit and killed by vehicular traffic on paved roads within the Resort. One bird was killed after having been hit by golf ball (Table 1).

Table 1 –Take and Cause of Take July 1, 2019 – June 30, 2020

<i>Date</i>	<i>Common Name</i>	<i>Outcome Dead or Alive</i>	<i>Indirect Take*</i>
9/2/2019	Hawaiian Coot	Golf ball strike (Dead)	0.45
3/12/2019	Common Gallinule	Vehicle hit (Dead)	0.65
1/23/2020	Common Gallinule	Vehicle hit (Dead)	0.65

Indirect take is defined as the loss of parental care due to mortality during the breeding season resulting in the indicated additional take calculated as the probability that if the adult had not been killed that any potential nest would have produced the number of adults indicated.

From the effective date of the state and federal take authorizations, through June 30, 2020, total direct and indirect incidental take under the HCP is presented in (Table 2).

Table 2 – Hōkūala Direct and Indirect Take from Permit Inception Through June 30, 2020.

<i>Species</i>	<i>Scientific Name</i>	<i>Number</i>	<i>Indirect</i>
Hawaiian Goose (Nēnē)	<i>Branta sandvicensis</i>	3	2
Common (Hawaiian) Gallinule	<i>Gallinula galeata sandvicensis</i>	20	7.90
Hawaiian Coot	<i>Fulica alai</i>	17	2.95
Hawaiian Duck	<i>Anas Wyvilliana</i>	5	1.225
Black-necked (Hawaiian) Stilt	<i>Himantopus mexicanus knudseni</i>	0	0
Newell's Shearwater	<i>Puffinus newelli</i>	7	0
Hawaiian Petrel	<i>Pterodroma sandwichensis</i>	0	0
Band-rumped Storm-Petrel	<i>Oceanodroma castro</i>	0	0

Table 3 – Hōkūala Permitted Take Approved in the ITP and ITL Issued in 2012.

<i>Species</i>		<i>Mortality</i>	<i>Non-Lethal</i>
Hawaiian Goose (Nēnē)	<i>Branta sandvicensis</i>	17	Or Non-Lethal
Common (Hawaiian) Gallinule	<i>Gallinula galeata sandvicensis</i>	40	30
Hawaiian Coot	<i>Fulica alai</i>	110	180
Hawaiian Duck	<i>Anas Wyvilliana</i>	36	Or Non-Lethal
Black-necked (Hawaiian) Stilt	<i>Himantopus mexicanus knudseni</i>	38	Or Non-Lethal
Newell's Shearwater	<i>Puffinus newelli</i>	27	Or Non-Lethal
Hawaiian Petrel	<i>Pterodroma sandwichensis</i>	1	Or Non-Lethal
Band-rumped Storm-Petrel	<i>Oceanodroma castro</i>	<1	Or Non-Lethal

Section 2

In this section we present detailed information on the activities associated with managing the Nēnē and other waterbird species on the property, including, nesting, production, recruitment and banding as well as predator control, mortalities, and minimization measures implemented.

Nēnē Nesting Observations

Between July 1, 2019 and June 30, 2020, the Nēnē (*Branta sandvicensis*) nesting season resulted in 15 Nēnē nests, from 15 different pairs, plus two dropped eggs from unidentified birds on Hōkūala property (Figures 2 through 5 inclusive; Table 4). The season began in the middle of September 2019. Gravid females were observed, and the first nest was located on September 18, 2019. Subsequent nests were found through January 14, 2020. Nēnē pairs were monitored daily from September through June and data was compiled into an excel database. This monitoring data includes: Nēnē pairs (bands when present), nests viability and gosling survivability, banding, avian mortalities, waterbird surveys, and predator trapping summary.

The 15 Nēnē nests found produced 46 eggs, of which 41 hatched for an average hatch rate of 89-percent. Of these 41 hatchlings, 23 survived to fledge, a hatchling survival rate of 56.0 percent (Table 4). The first pair to nest, bHRJ♂-bHRK♀ laid three eggs all of which hatched. This is the same pair that nested first the previous season. One nest was abandoned. The two dropped eggs were placed into occupied nests. One of the moved eggs successfully hatched, the second one did not hatch (Table 5).

Table 4– Nēnē Egg Production and Survivorship at Hōkūala July 1, 2019 – June 30, 2020

<i>Eggs Laid</i>	<i>Eggs Hatched</i>	<i>Hatch Rate</i>	<i>Goslings Fledged</i>	<i>Hatchling Survival Rate</i>
46	41	89%	23	56.00%

During the 2019-2020 nesting season, 89-percent of nests were successful, hatching at least one gosling (Table 5). One nest failed to hatch. Failed eggs were collected, and measurements were taken, and viability was determined for each egg by examining the contents of the eggs. Four eggs were found to be infertile when examined after collection. One egg (dropped) had a fully developed embryo. Detailed info on nest and egg fates is presented in Table 5 and 6. Details on the nests, timing, bird band numbers and locations of the nests are detailed in Table 7. A visual representation of the nest locations is depicted in (Figures 2 through 5 inclusive).

Table 5 – Nēnē Nest and Egg Fates July 1, 2019 – June 30, 2020

<i>Nest Fates</i>			<i>Egg Fates</i>		
		<i>Percentage</i>			<i>Percentage</i>
Hatched	14	93.00%	Hatched	41	89.00%
Abandoned	1	6.67%	Abandoned	2	4.35%
Disappeared	0	-	Disappeared	3	6.52%
Predated	0	-	Predated	0	-
Smashed	0	-	Smashed	0	-
Flooded	0	-	Flooded	0	-
Failed to Hatch	1	6.67%	Failed to Hatch	5	1.87%
Total Nests	15	100.00%	Total Eggs	46	100.00%

Table 6 – Un-hatched Nēnē Eggs Fates July 1, 2019 – June 30, 2020

<i>Nest #</i>	<i>Pair</i>	<i># Un-hatched eggs</i>	<i>Length (mm)</i>	<i>Width (mm)</i>	<i>Weight (g)</i>	<i>Diagnosis</i>
20-02	bHRN♂-bHRP♀	1	85.00	55.0	96.0	Infertile
20-04	JEH♂-KEC♀	1	81.3	56.0	58.0	Infertile
20-04	JEH♂-KEC♀	1	84.2	57.0	121.0	Fully developed embryo
20-07	Dropped	1	85.0	55.0	122.0	Infertile
20-17	PTZ♂-PKU♀	1	85.0	55.0	123.0	Infertile




Figure 2 - Nēnē Nest Sites Island 2, Main Lagoon - 2019-2020 Season



Figure 3 - Nēnē Nest Site, Main Lagoon and 800 Parking lot – 2019-2020 Season



Figure 4 - Nēnē Nest Site, Islands 5, 6, and 7 – 2019-2020 Season



Figure 5 - Nēnē Nest Sites, Irrigation Pond and Tree Farm/Nursery and Garden – 2019-2020 Season

Table 7 – 2019-2020 Hōkūala Nēnē Nesting Season

<i>Date Found</i>	<i>Nest #</i>	<i>Pair ID</i>	<i>UTM</i>	<i>Eggs / hatched</i>	<i>Survey Fledged</i>	<i>Nest Location</i>
11/18/19	20-01	bHRJ♂bHRK♀	?	?	3	Nest not found, first seen 11-18 w /3 goslings <4 days old, suspect nest was on island 7
11/25/19	20-02	bHRN♂bHRP♀	0464173-2428691	4/4	1	On island 2, in pit, on the west side of the island (2-3)
11/26/19	20-03	bNZT♂bPJJ♀	0464451-2428768	3/3	2	Back side of Waikahe 7 pond on small hill
11/29/19	20-04	bJEH♂bKEC♀	0464451-2428768	2/4	2	Island 3, tall in grass on north side of pit. 12-6-19 egg from 17 th tee placed in nest, had 3, now 4 (1*)
11/29/19	20-05	bNZU♂bJCY♀	0464269-2428437	3/3	0	Island 2, east side along edge facing Timbers. Goslings never seen Saw both adults on 1-10-20, no goslings with them
11/29/19	20-06	Unknown	0464087-2429682	1/0	0	Back side of Waikahe pond, 5' from water, "bubble" cove
12/6/19	20-07	Unknown	0464227-2428359	1/1	1	Egg found on #17 green by Clifton Silva early am 12-6-19, egg was collected, recorded GPS point, took photos & placed in nest #20-04, on island 3
12/9/19	20-08	bJEP♂bPJY♀	0464029-2429466	3/3	0	Irrigation pond back grass road, under koa tree, in tall grass. 8' from water. Hatched but never seen with goslings.
12/9/19	20-09	bJEN♂bNXA♀	0464152-2428476	3/3	3	Timbers Club /rebar footings, tall brown grass in rebar field, base of hill
12/16/19	19-10	bAYN♂bHYK♀	0464174-2428685	3/3	3	Island 7, bay entrance, left side, slightly up hill by large tree base.
12/19/19	19-11	bHRU♂bJEU♀	0464174-2428831	3/3	3	800 parking lot side of lagoon, left end of pier, in heavy naupaka, by small coconut trees
12/20/19	19-12	bJHE♂bKCZ♀	0464466-2428516	4/4	1	Bananas at sales trailer, left end of banana patch, in purple flowers behind plumeria, 1 chick stuck in egg, , only seen with 1 gosling
12/23/19	19-13	bPAE♂bKCY♀	0464230-2428444	3/3	2	Island 2, tall grass, old landing area, flagged, one gosling disappeared 1-25-2020,
12/23/19	19-14	bNXC♂bJCR♀	0464228-2428429	2/2	2	Island 2, tall grass, by leaning tree, flagged
12/28/19	19-15	bRTR♂bJEJ♀	0464178-2428684	3/2	1	Ocean-9 Pond edge. Had gosling stolen on 2-3 by HRU-JEU. Other goslings disappeared.
12/31/20	19-16	bTPK♂bNZR♀	?	?/3	1	First seen 12-31-19 with 3 goslings at ½ moon parking lot. Saw again on 1-3-20 with only 1 gosling
1/14/20	19-17	bPTZ♂bPKU♀	0464273-2428850	1/1	0	Island 2, west end under ironwoods, scrub brush pile – nest abandoned
TOTALS	15	2 Dropped Eggs		46/41	23	

In addition to the 15 pairs that nested, and their 23 surviving goslings, an additional 24 banded Nēnē and 12± un-banded Nēnē utilized the property during this reporting period (Table 8). During the course of the season, biologists from DOFAW with the assistance of Hōkūāla biologists banded a total of 8 Nēnē, all of which were hatch year goslings. All bands recorded for this reporting season can be found in table 8.

Table 8 – Band Codes for Nēnē at Hōkūāla 2019-2020

<i>Band Code</i>	<i>Band Code</i>	<i>Band Code</i>	<i>Band Code</i>	<i>Band Code</i>	<i>Band Code</i>
bAYN ♂	bJEH ♂	bKCZ ♀	bPJY ♀	bRRU ♀	bTPZ ♂
bAYT ♂	bJEJ ♀	bKEC ♀	bPJZ ♀	bRRY ♀	bTRA ♂
bHJA ♂	bJEK ♂	bKXU ♂	bPKU ♀	bRRZ ♀	bTRC ♂
HRJ ♂	bJEN ♂	bNXA ♀	bPKX ♀	bRTA ♂	bTRE ♂
bHRK ♀	bJEP ♂	bNTX ♂	bRPR ♀	bRTJ ♂	bTRN ♂
bHRN ♂	bJER ♀	bNTZ ♂	bRPT ♀	bRTN ♂	bUPN ♀
bHRP ♀	bJEU ♀	bNXH ♀	bRPU ♀	bRTP ♂	
bHRU ♂	bJEY ♀	bNXC ♂	bRPZ ♀	bRTR ♂	b999 ♀
bHYK ♀	bJEX ♂	bNZH ♀	bRRA ♂	bRTP ♂	
bHZA ♂	bJHA ♂	bNZJ ♀	bRRE ♂	bRTR ♂	
bJCT ♀	bJHC ♀	bNZR ♀	bRRJ ♀	bRTU ♂	
bJCY ♀	bJHE ♂	bNZT ♂	bRRK ♀	bTPK ♂	
bJCX ♂	bJRC ♀	bNZU ♂	bRRR ♂	bTPN ♀	
bJEE ♂	bKCY ♀	bPAE ♂	bRRT ♀	bTPX ♂	

Given that the bird make-up of the site has changed significantly over the past several years as a result of DLNR-DOFAW removal of over 500 Nēnē from the property between 2011 and 2016 – comparing metrics from the onset of the program to the last four seasons is difficult. The flock of Nēnē that were present on the site prior to the removal of animals was a mature flock consisting of all age groups of birds, some as old as 22 years old. Those Nēnē were the dominant bird species on the property, and pretty much controlled where and how many other waterbirds were present on the site. As the Nēnē were removed from the property the densities of each species have changed dramatically. For instance, at the start of the program there were very few Common Gallinules in and around the golf course – they were pretty much restricted to the dense vegetation on a couple of ponds. Since the diminution of Nēnē numbers has occurred this species is now the second most common waterbird species on the property (Table 9). Looking at the mortality of this specific species on the site it was not an issue six years ago, and is currently the larger issue numerically. Though the increased production of fledgling gallinules has more than kept pace with the increase in mortality incidents. The permit holder and the state and federal regulators are closely monitoring the continued take of gallinules on the property, and if there is not significant drop in the ongoing take of this species over the near term, we will explore options with the agencies over potentially raising our requested take for this species.

Nēnē Hazing

On June 24, 2019 the USDA/WS acting on the behalf of the Hawaii Department of Transportation, Airports Division, began their pilot project to haze Nēnē from the Resort using dogs, and other non-lethal methods. The initial one-year pilot project has been extended. Hazing has been going on for almost the entire season addressed in this annual report.

Waterbird Surveys

Native waterbirds on Hōkūala property include resident endemic and indigenous species as well as native non-breeding migratory waterfowl and shorebirds. The resident endemic waterbird species recorded on the property include all of the resident endemic species found on the Island of Kauaʻi namely, Hawaiian Duck (*Anas Wyvilliana*), Common (Hawaiian) Gallinule (*Gallinula galeata sandvicensis*), Hawaiian Coot (*Fulica alai*) and Black-necked (Hawaiian) Stilt (*Himantopus mexicanus knudseni*). The lone resident indigenous species is Black-crowned Night-Heron (*Nycticorax nycticorax hoactli*). Regularly recorded indigenous migratory shorebird species include Ruddy Turnstone (*Arenaria interpres*), Sanderling (*Calidris alba*) and Wandering Tattler (*Tringa incana*). A small number of uncommon and/or extralimital swans, ducks, geese and shorebirds have been recorded on the property over the years. During this reporting period the property hosted a female Canvasback (*Aythya valisineria*).

Waterbird and shorebird surveys were conducted on an almost bi-weekly basis. Surveys were conducted using golf carts and by walking the property. A synopsis of the data collected over 91 separate counts conducted during this reporting period is presented in (Table 9).

The most significant change over the past four years is the significant increase in Common Gallinules on the property. They are currently the second most common waterbird species on the Resort with an average of 53 animals being recorded during waterbird counts (Table 9). Also worthy of note is the increase in numbers of Hawaiian Stilts, and even more encouraging has been a large increase in nesting of both of these species. Hawaiian Stilts nested for the first time during the 2016-2017 reporting period and then again in the 2017-2018 reporting period, but did not nest in the past two seasons.

Table 9 – Hōkūala Waterbird Counts July 1, 2019 – June 30 2020 ~91 counts

<i>Common Name</i>	<i>Scientific Name</i>	<i>Average</i>	<i>High</i>	<i>Low</i>
Hawaiian Goose (Nēnē)	<i>Branta sandvicensis</i>	19	61	0
Hawaiian Duck	<i>Anas wyvilliana</i>	16	48	0
Common (Hawaiian) Gallinule	<i>Gallinula galeata sandvicensis</i>	53	107	10
Hawaiian Coot	<i>Fulica alai</i>	97	195	8
Black-necked (Hawaiian) Stilt	<i>Himantopus mexicanus knudseni</i>	4	14	0
Pacific Golden-Plover	<i>Pluvialis fulva</i>	70	154	0
Ruddy Turnstone	<i>Arenaria interpres</i>	8	66	0
Wandering Tattler	<i>Tringa incana</i>	0	0	0
Black Crowned Night-Heron	<i>Nycticorax nycticorax hoactli</i>	7	37	0
Cattle Egret	<i>Bubulcus ibis</i>	147	374	35
Canvasback	<i>Aythya valisineria</i>		1	0

Waterbird Nesting

Waterbird nesting on the property has been steadily increasing over the past five years. Prior to the last reporting period we had only three confirmed Hawaiian Coot nests on the property in the preceding 10 years, during the last reporting period there were three nests, and this season we recorded four nests. During the last reporting period we reported 21 Common Gallinule, and seven Hawaiian Duck nests, this season we had 30 Gallinule and 15 Hawaiian Duck nests (Table 10). During the last reporting period and this one, Hawaiian Coots, and Common Gallinules, nested in every water feature on the property (Table 10, Figures 6 through 12 inclusive).

Table 10 – Additional Waterbird Nesting at Hōkūala 2019-2020

<i>Area</i>	<i>COGA</i>	<i>HACO</i>	<i>HADU</i>	<i>BNST</i>
Lagoon	4	0	3	0
800 Parking Lt	2	0	1	0
OC-8 pond	1	0	0	0
Bridge 2	5	0	2	0
Irrigation Pond	2	0	2	0
Farm Pond	3	0	2	0
Mokihana 3	13	4	5	0
Nest Totals	30	4	15	0
Chicks Produced	27	8	39	0



Figure 6 – Hōkūala Overview of Water Features




Figure 7 – Bridge 2 to Kalanipu'u Waterbird Nests



Figure 8 – Main Lagoon Waterbird Nests



Figure 9 – 800 Parking Lot and OC-8 Pond Waterbird Nests



Figure 10 – Mokihana Pond 3 – Waterbird Nests




Figure 11- Irrigation and Farm Ponds - Waterbird Nests

Take

A total of three listed avian take incidents were recorded on site this season. A species breakdown and totals are represented below (Table 11). All carcasses were stored in the refrigerator at Hōkūāla and collected by DOFAW staff or disposed of following direction from DOFAW staff, most within less than 24 hours after the incident.

Table 11 – Hōkūāla Take July 1, 2019 – June 30, 2020

<i>Take Date</i>	<i>Common Name</i>	<i>Outcome Dead or Alive</i>	<i>Indirect Take*</i>
9/2/2019	Hawaiian Coot	Golf ball strike (Dead)	0.45
3/12/2019	Common Gallinule	Vehicle hit (Dead)	0.65
1/23/2020	Common Gallinule	Vehicle hit (Dead)	0.65

Take over the life of the permit to date is depicted in the following graph. As can be seen in the graph, the species impacted each year and the number of incidents varies significantly on an annual basis.




Table 12 – Take over time by species on an annual basis

Predation

We had no mammalian predation events recorded on the property during this reporting period.

Trapping and Predator Control Efforts

Invasive mammalian species removal and predator trapping was carried out throughout the season. Traps were removed during the months the majority of goslings were present in order to prevent any trap related injuries. Intense cat trapping began at the beginning of the nesting season. A total of 41 cats, 25 pigs and one dog were removed from the property this season. Feral chickens were shot or live trapped on an almost daily basis with a pellet gun, at the end of the season a total of 1,799 chickens had been removed from the property. Additionally, we removed 86 bullfrogs (*Lithobates catesbeianus*) from Mokihana Pond 3.

It should be noted that the ITP and ITL require the use of 10 traps, the Resort has consistently used over 60 traps, and as noted above did not have a mammal predation during this reporting period. One of the biggest issues with predator control on this property is that it is not fenced, and a County of Kauaʻi road goes through the property.

The results of predator control efforts are detailed in Table 13. We continue to have to deal with a large number of cats and to a lesser degree dogs that are being released on the property by the general public. All invasive species removal is covered under Wildlife Control Permit: WCP 19-26 and Migratory Bird Depredation Permit number: MB86226B-0. Predator control effort and results are presented in Table 13.

Table 13 - Trapping and Predator Removal Totals from Hōkūala July 1, 2019 – June 30, 2020

<i>Description</i>	<i>Number</i>
Trapping Days	196
Live traps	63
Cats removed	41
Dogs removed	1
Pigs removed	25
Bullfrogs removed	86
Chickens removed	1,799

Roadways, Speed Limits and Endangered Species Signage

As previously mentioned the posted speed limit on the Resort property is 14 MPH (Figure 13). During the course of the last and current reporting periods we have increased the number of endangered species warning signs across the Resort property. We have a series of different endangered species signs some of which are semi-permanent and others that are temporary and are moved to different locations as needed (Table 14 and Figures 13 through 20 inclusive). Additionally, there are several endangered species informational signs posted in areas that are accessed by guests and golfers using the facilities (Figure 20).

Table 14 – Nēnē and T&E Caution Signs on Property 2019-2020

<i>Sign Description</i>	<i>Number</i>
Yellow metal 2x2 Nēnē crossing signs	13
White Nēnē slow down signs	19
Plastic Sandwich Board caution slow down	2
Metal do not feed Nēnē signs	2
Endangered Species informational displays	2

Bird locations and bird activity and densities are dynamic on this property. As circumstances change and new areas of concern are identified we change warning signage on the property. As of this writing, the resort has deployed 33 Nene crossing, slow down wildlife crossing and two in-road sandwich boards (Table 14, figures 14 through 20, inclusive). During one of the upcoming the next phases of construction on the property, a new entrance to the Resort will be built; at the entrance a large monument sign will be set welcoming guests and owners onto a Wildlife Conservation Area



Figure 13 – Posted Speed Limit Hōkūāla Resort



Figure 14 – Location of Cautionary Signs Deployed on the Resort



Figure 15 – Nēnē Crossing Sign Semi-permanent



Figure 16 – Wildlife Warning and Do Not Feed Signs Portable



Figure 17 – Wildlife slow down warning signs placed every 45 feet along Holokawelo Road



Figure 18 – Sandwich Board Portable sign in the Middle of Holokāwelu Road with Wildlife Monitors



Figure 19 – Detail Of Sandwich Board Portable Sign With Changeable Insert




Figure 20 – Typical Endangered Waterbird Informational Sign

Speed Bumps

The Resort replaced the speed bumps and added an additional two speed bumps along Holokāwelu Road. The new speed bumps are larger than the ones they replaced.

Construction Monitoring

During this reporting period the only construction on the site was vertical construction on Timbers Kauai Ocean Residences. No active grading or earth moving occurred during this reporting period. The wildlife monitors responded to all wildlife related issues, usually Nēnē and Hawaiian Coots wandering into the job site. Construction and biological monitors have the authority to stop any and all activity if they perceive it to be hazardous to the Covered Species.

We are proud that our construction monitoring and adherence to minimization measures during the over four-year construction project has been effective, with no listed species being injured or killed within the construction areas.


Endangered Species Awareness Training

Endangered Species Awareness training was given to all personnel on the site, regardless of job, company, or position. Training was presented as a PowerPoint presentation, there are three iterations developed for specific target audiences and hard copies of the training modules were distributed to all who attended the courses. Information packets translated into Spanish were available for Spanish-speaking contractors. The training course includes information on all eight listed avian species covered in our State and Federal

incidental take license and incidental take permit. In the training sessions the specific Covered Species protocols, and restrictions were discussed in depth, as were potential disciplinary action if the protocols and procedures are not followed. A log of all of the individuals that receive training is maintained and all construction workers are required to undergo the training and display a uniquely numbered Endangered Species Awareness Training sticker on their hardhats.

Certification (Implementation Agreement, Section 8.3)

I certify that, to the best of my knowledge, after appropriate inquiries of relevant persons involved in the preparation of this report, the information submitted is true, accurate, and complete

A handwritten signature in black ink, appearing to read "Reginald David", written over a horizontal line.

Reginald David
Biological Consultant
Rana Biological Consulting

Date July 31, 2020

Literature Cited

Ebin, Moser + Skaggs LLP, and Rana Biological Consulting, Inc. 2009. Kaua'i Lagoons Habitat Conservation Plan. Prepared for: Kauai Lagoons, LLC & Mori Golf (Kauai), LLC